2008

# PRODUCT INFORMATION

Simplicity®

MASSEY FERGUSON
LAWN & GARDEN EQUIPMENT

AGCO
LAWN & GARDEN EQUIPMENT

# TABLE OF CONTENTS

## KEY TRACTOR STEP-UP FEATURES:


REGENT vs BROADMOOR . . . . . 3
BROADMOOR vs CONQUEST . . . . . 4
CONQUEST vs PRESTIGE . . . . . 5
PRESTIGE vs LEGACY XL . . . . . 6


## TRACTOR PRODUCT SPECIFICATIONS:


CORONET RIDING MOWER . . . . . 7
REGENT/500/2500 SERIES LAWN TRACTOR . . . . . 11
BROADMOOR/1600/2600 SERIES LAWN TRACTOR . . . . . 18
CONQUEST/1700/2700 SERIES YARD TRACTOR . . . . . 24
PRESTIGE/1800/2800 SERIES GARDEN TRACTOR . . . . . 32
LEGACY LX/2027/2927 SERIES GARDEN TRACTOR . . . . . 38


## KEY ZERO TURN STEP-UP FEATURES:


AXION vs JAVELIN . . . . . 49
JAVELIN vs ZT3000 . . . . . 50
ZT3000 vs CHAMPION . . . . . 51
CHAMPION vs ZT4000 . . . . . 52
ZT4000 vs CITATION . . . . . 53
CITATION vs COBALT . . . . . 54


## ZERO TURN PRODUCT SPECIFICATIONS:


AXION SERIES . . . . . 55
JAVELIN SERIES . . . . . 59
ZT3000 SERIES . . . . . 63
CHAMPION SERIES . . . . . 67
ZT4000 SERIES . . . . . 71
CITATION SERIES . . . . . 75
COBALT SERIES . . . . . 79

# Step-Up Features

| REGENT | | BROADMOOR |
|---|---|---|
| Briggs & Stratton Twin | → | Briggs & Stratton V-Twin Vanguard™ |
| K46 Hydro transmission | → | K57 Hydro transmission with Automatic Controlled Traction™ |
| N/A | → | Automatic Controlled Traction™ |
| 12-gauge frame, .75" front spindles | → | 10-gauge frame, heavier cast-iron front axle, 1" front spindles |
| 15" front / 20" or 22" rear | → | 15" front / 22" rear |
| 3.5 gallon fuel tank | → | 4 gallon fuel tank |
| Standard steering wheel | → | Soft Touch steering wheel |
| Two headlight system | → | Four headlight system |
| Single-stage snow attachment | → | Two-stage snow attachment |
| Latch Style Cruise Control | → | Cruise Control Adjustable while moving |
| Single Belt mower drive | → | Two Belt mower drive |
| 5.5 MPH Ground Speed | → | 5.8 MPH Ground Speed |

→ indicates step-up feature

# Step-Up Features

| BROADMOOR | | CONQUEST |
|---|---|---|
| 18 or 20 hp Briggs & Stratton Vanguard™ Engine | → | 23 hp Kohler Courage™ or Briggs & Stratton V-Twin Engines, larger displacement, more hp |
| Tuff-Torq K57 Lawn Tractor transmission with Automatic Controlled Traction™ | → | Tuff-Torq K66 Yard Tractor transmission (Tiller capable) Automatic Controlled Traction™ and Differential Lock |
| 2WD only | → | Available 4WD Model (K664 Hydro) |
| Mower attachment lift standard | → | Spring-assisted lift standard for all attachments |
| 15" front / 22" rear | → | 16" front / 23" rear |
| Hourmeter standard, fuel gauge in cap | → | Electronic Instrument Panel with digital fuel gauge, hourmeter, clock, service reminder |
| 230 cca battery | → | 340 cca battery |
| 15" high-back seat | → | 18" high-back seat |
| Mechanical steering | → | Power Steering - available on 50" model |
| 50" maximum deck | → | 54" maximum deck |
| Lawn Tractor | → | Yard Tractor |

→ indicates step-up feature

# Step-Up Features

| CONQUEST | | PRESTIGE |
|---|---|---|
| 23 hp Kohler Courage™ or Briggs & Stratton Vanguard™ V-Twin | → | 25 or 27 hp Kohler Command V-Twin |
| Yard tractor transmission with Automatic Controlled Traction™ and Differential Lock (K66 Hydro) | → | Garden tractor transmission with Automatic Controlled Traction™ and Differential Lock (K71 Hydro) |
| Manual Lift | → | Hydraulic Lift |
| Manual Steering (Power Steering on 23 hp w/50") | → | Power Steering |
| Fixed Steering Wheel | → | Tilt Steering Wheel |
| 340 cca battery | → | 500 cca battery |
| 23" Rear Tires | → | 24" Rear Tires |
| Manual Infinite Height-of-Cut | → | Electric Infinite Height-of-Cut |

→ indicates step-up feature

# Step-Up Features

| PRESTIGE | | LEGACY XL |
|---|---|---|
| 25 or 27 hp Kohler Command V-Twin | → | 27 hp Kohler or Kawasaki V-Twin, 27 hp Briggs & Stratton Diesel |
| Garden Tractor transmission with Automatic Controlled Traction™ and Differential Lock (K71 Hydro) | → | Garden Tractor transmission with Automatic Controlled Traction™, Differential Lock and increased hydraulic capacity for attachments (K92 Hydro) |
| 4 gallon Fuel Tank | → | 5.5 gallon Fuel Tank |
| 13.5" Soft touch steering wheel | → | 15" Soft touch steering wheel |
| 16" front / 24" rear tires | → | 18" front / 26" rear tires |
| 10-gauge steel frame | → | 7-gauge steel frame |
| Basic Garden Tractor attachments | → | Wide range of time-saving attachments available |
| 44", 50" & 54" Mower decks | → | 60" & 72" Mower decks |
| 2-way hydraulic lever | → | 4-way joy stick hydraulic attachment control |

→ indicates step-up feature

# Coronet Series
# Product Specifications

# CORONET
## 2008 Riding Mower Specifications

| BASIC DESCRIPTION: | | |
|---|---|---|
| Brand | Simplicity | Simplicity |
| Basic Chassis / Platform | Coronet | Coronet |
| Horsepower | 13 hp Intek™ OHV | ➡ *16 hp Kohler Command* |
| Deck | 30" | ➡ *34"* |
| | | |
| **BRANDING:** | | |
| Engineering Part Number | 2690244 | 2690245 |
| **POWER:** | | |
| Engine Manufacturer / Model | Briggs & Stratton | ➡ *Kohler* |
| Engine Type | Intek™ | ➡ *Command* |
| Engine Configuration / Type | Single Cyl, OHV, | Single Cyl, OHV, |
| Spin-On Oil Filter | No | ➡ *Yes* |
| Engine Type / Fuel | Air-cooled / Gas | Air-cooled / Gas |
| Engine Displacement/RPM +/-100 (cu.in./cc) | 21CI/344cc/3400 | ➡ *27.9CI/426cc/3400* |
| Electrical System | 12V-3A UNReg. | ➡ *12V-15A Reg.* |
| Oil Drain | Drain Hose | Drain Hose |
| Fuel Tank Capacity / Position | 2.0 Gal / under seat | 2.0 Gal / under seat |
| Battery Capacity | 12V-230CCA | 12V-230CCA |
| **MOWER DECK:** | | |
| Mower Configuration In Crate | Side discharge | Side discharge |
| Width of cut/Weight | 30"/415 lbs | ➡ *34"/446 lbs* |
| # of Blades / Type | 1 / Std Lift | ➡ *2 / Std Lift* |
| Cutting Height (in.) | 1" - 3.75" | 1" - 3.75" |
| Cutting Positions | Infinite height adjust | Infinite height adjust |
| Deck Suspension | Floating Deck | Floating Deck |
| Deck Support Wheels | Anti-Scalp | Rollers-Striping |
| **TRANSMISSION:** | | |
| Make / Brand | HydroGear 510 | HydroGear 510 |
| Type / Differential | Hydro | Hydro |
| Automatic Controlled Traction | Rear Pivoting Axle | Rear Pivoting Axle |
| 4-Wheel Drive | No | No |
| Drive | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-5.0 / 0-2.3 MPH | 0-5.0 / 0-2.3 MPH |
| Brake | Disc | Disc |
| **CONTROLS / INSTRUMENTATION:** | | |
| Steering Wheel Type / Size | Soft Touch / 13.5" | Soft Touch / 13.5" |
| Turning Radius (in.) | 12"/1.25 turns | 12"/1.25 turns |
| Deck Lift | Infinite/Lever on dash | Infinite/Lever on dash |
| Height-of-cut positions | Infinite | Infinite |
| Speed Control - Fwd. & Rev. | Selector On Dash | Selector On Dash |
| Cruise Control / Location | No | No |
| Blade Clutch | Electric | Electric |

➡ indicates step-up feature

# CORONET
## 2008 Riding Mower Specifications

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Coronet** | **Coronet** |
| **Horsepower** | **13 hp Intek™ OHV** | ➡ ***16 hp Kohler Command*** |
| **Deck** | **30"** | ➡ ***34"*** |
| | | |
| **CONTROLS / INSTRUMENTATION (CONT.):** | | |
| Throttle | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | No | No |
| Hourmeter / Location | No | No |
| Clock | No | No |
| Maintenance Monitor | No | No |
| Cup holder / Position | No | No |
| Light Switch | No | No |
| RMO Switch | Yes | Yes |
| **TIRES / TREAD:** | | |
| Front / Type | 13.00 x 5-6/ Turf | 13.00 x 5-6/ Turf |
| Rear / Type | 16 x 6.5 - 8 / Turf | 16 x 6.5 - 8 / Turf |
| **OTHER FEATURES:** | | |
| Steering | Gear / Sector | Gear / Sector |
| Front Axle | Tubular | Tubular |
| Front Wheel Bearing | Bushing | Bushing |
| Seat | 13" Hi-Back / Black | 13" Hi-Back / Black |
| Seat Suspension | Spring | Spring |
| Seat Adjustment / Positions | Slide / 7 | Slide / 7 |
| Rear Fenders | Plastic | Plastic |
| Hood Style / Type / Material | No Hood | No Hood |
| Frame | 14-Gauge | 14-Gauge |
| Headlights | No | No |
| Footpads | No | No |
| Mower Deck Lift System | Mechanical | Mechanical |
| **WARRANTY: MACHINE / ENGINE:** | | |
| Residential Use | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. |
| Commercial Use | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. |
| **DIMENSIONS:** | | |
| Length-Overall (in.) | 61" | 61" |
| Width-Overall (in.) | 33" | 37" |
| Height-Overall (in.) | 41.5" | 41.5" |
| Wheelbase (in.) | 43" | 43" |
| Weight (approx.) (lbs.) Tractor / Tractor with deck | 415 | 446 |
| Shipping Weight (approx.) (lbs.) | 515 | 544 |
| Shipping Container Size | 68.5 X 44 X 46 | 68.5 X 44 X 46 |
| Export Container Size | N/A | N/A |

➡ indicates step-up feature

# CORONET
## 2008 Riding Mower Specifications

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Coronet** | **Coronet** |
| **Horsepower** | **13 hp Intek™ OHV** | ***16 hp Kohler Command*** |
| **Deck** | **30"** | ***34"*** |
| | | |
| **ACCESSORIES:** | | |
| Dump Cart (10cf) | 1692125SM | 1692125SM |
| Catcher Twin Bag Collector 30" Deck | 1692149 | N/A |
| Catcher Twin Bag Collector 34" Deck | N/A | 1692150 |
| Dethatcher (requires adapter) | 1690819SM | 1690819SM |
| Dethatcher Adapter | 1692679SM | 1692679SM |
| Mulching Kit 34" | N/A | 1692470SM |
| Mower deck 30" (Simplicity) | 1692543 | N/A |
| Mower deck 34" (Simplicity) | N/A | 1692545 |
| Weight, Front Counter | 1691837SM | 1691837SM |

indicates step-up feature

# Regent/500/2500 Series
# Product Specifications

# REGENT/500/2500 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity/ Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** |
| **Basic Chassis /Platform** | **Regent/2500** | **Regent/500/2500** | **Regent** | **Regent/500/2500** | **Regent/500/2500** |
| **Horsepower** | **18 Kohler Courage** → | ***20 Briggs & Stratton ELS V-Twin*** | **20 Kohler Courage** → | ***22 Briggs & Stratton ELS V-Twin*** → | ***24 Briggs & Stratton ELS V-Twin*** |
| **Deck** | **38"** | **38"** → | ***44"*** | **44"** → | ***50"*** |
| | | | | | |
| **BRANDING:** | | | | | |
| Simplicity Model Number | 2690572 | 2690573 | 2690574 | 2690575 | 2690576 |
| AGCO Model Number | N/A | 2690586 | N/A | 2690587 | 2690588 |
| Massey Ferguson Model Number | 2690581 | 2690582 | N/A | 2690583 | 2690584 |
| **POWER:** | | | | | |
| Engine Manufacturer / Model # | Kohler / Courage | Briggs & Stratton | Kohler / Courage | Briggs & Stratton | Briggs & Stratton |
| Horsepower/ Engine Type | 18 hp Courage → | ***20 hp ELS*** | 20 hp Courage → | ***22 hp ELS*** → | ***24 hp ELS*** |
| Engine Configuration / Type | OHV single Cyl. | V-Twin, OHV, w/ oil filter | OHV single Cyl. | V-Twin, OHV, w/ oil filter | V-Twin, OHV, w/ oil filter |
| Spin-On Oil Filter | Yes | Yes | Yes | Yes | Yes |
| Engine Type / Fuel | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas |
| Engine Displacement/ RPM +/-100 (cu.in./cc) | 32.6CI/535cc/ 3500 | 40.0CI/ 656cc/3500 | 36.4CI/597cc/ 3500 | 44.0CI/ 725cc/3500 | 44.0CI/ 725cc/3500 |
| Electrical System | 12V-15A Reg. | 12V-9A Reg. | 12V-15A Reg. | 12V-9A Reg. | 12V-9A Reg. |
| Oil Drain | Quick Drain Valve | Quick Drain Valve | Quick Drain Valve | Quick Drain Valve | Quick Drain Valve |
| Fuel Tank Capacity / Position | 3.5 Gal / under seat | 3.5 Gal / under seat | 3.5 Gal / under seat | 3.5 Gal / under seat | 3.5 Gal / under seat |
| Battery Capacity | 12V-230CCA | 12V-230CCA | 12V-230CCA | 12V-230CCA | 12V-230CCA |
| **MOWER DECK:** | | | | | |
| Mower Configuration In Crate | Side discharge | Side discharge | Side discharge | Side discharge | Side discharge |
| Width of cut / Weight | 38"/100lbs | 38"/100lbs → | ***44"/112lbs*** | 44"/112lbs → | ***50"/125lbs*** |

→ indicates step-up feature

# REGENT/500/2500 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity/ Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** |
| **Basic Chassis /Platform** | **Regent/2500** | **Regent/500/2500** | **Regent** | **Regent/500/2500** | **Regent/500/2500** |
| **Horsepower** | **18 Kohler Courage** | ***20 Briggs & Stratton ELS V-Twin*** | **20 Kohler Courage** | ***22 Briggs & Stratton ELS V-Twin*** | ***24 Briggs & Stratton ELS V-Twin*** |
| **Deck** | **38"** | **38"** → ***44"*** | | **44"** → ***50"*** | |
| | | | | | |
| **MOWER DECK (CONT):** | | | | | |
| # of Blades / Type | 2 / Std Lift | 2 / Std Lift | → ***3 / Std Lift*** | 3 / Std Lift | 3 / Std Lift |
| Cutting Height (in.) | 1" - 4" | 1" - 4" | 1" - 4" | 1" - 4" | 1" - 4" |
| Cutting Positions | Infinite height adjust | Infinite height adjust | Infinite height adjust | Infinite height adjust | Infinite height adjust |
| Deck Suspension | Floating Deck | Floating Deck | Floating Deck | Floating Deck | Floating Deck |
| Deck Support Wheels | Full Roller, Optional Anti-Scalp Wheels | Full Roller, Optional Anti-Scalp Wheels | Full Roller, Optional Anti-Scalp Wheels | Full Roller, Optional Anti-Scalp Wheels | Full Roller, Optional Anti-Scalp Wheels |
| **TRANSMISSION:** | | | | | |
| Make / Brand | Tuff-Torq K46Z | Tuff-Torq K46Z | Tuff-Torq K46Z | Tuff-Torq K46BL | Tuff-Torq K46BL |
| Type / Differential | Hydro | Hydro | Hydro | Hydro | Hydro |
| Automatic Controlled Traction | N/A | N/A | N/A | N/A | N/A |
| 4-Wheel Drive | N/A | N/A | N/A | N/A | N/A |
| Drive | Belt | Belt | Belt | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-5.5 / 0-3.0 MPH | 0-5.5 / 0-3.0 MPH | 0-5.5 / 0-3.0 MPH | 0-5.5 / 0-3.0 MPH | 0-5.5 / 0-3.0 MPH |
| Brake | Disc | Disc | Disc | Disc | Disc |
| **CONTROLS / INSTRUMENTATION:** | | | | | |
| Steering Wheel Type / Size | 13.5" | 13.5" | 13.5" | 13.5" | 13.5" |
| Turning Radius (in.) | 14" | 14" | 14" | 14" | 14" |
| Deck Lift | RH Pod | RH Pod | RH Pod | RH Pod | RH Pod |
| Height-of-cut positions | Infinite/Manual | Infinite/Manual | Infinite/Manual | Infinite/Manual | Infinite/Manual |
| Speed Control - Fwd. & Rev. | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals |

→ indicates step-up feature

# REGENT/500/2500 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity/ Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** |
| **Basic Chassis /Platform** | **Regent/2500** | **Regent/500/2500** | **Regent** | **Regent/500/2500** | **Regent/500/2500** |
| **Horsepower** | **18 Kohler Courage** | ***20 Briggs & Stratton ELS V-Twin*** | **20 Kohler Courage** | ***22 Briggs & Stratton ELS V-Twin*** | ***24 Briggs & Stratton ELS V-Twin*** |
| **Deck** | **38"** | **38"** → ***44"*** | | **44"** → ***50"*** | |
| | | | | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | | | | |
| Cruise Control / Location | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash |
| Blade Clutch | Electric | Electric | Electric | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | Yes / Site gage | Yes / Site gage | Yes / Site gage | Yes / Site gage | Yes / Site gage |
| Hourmeter / Location | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash |
| Clock | N/A | N/A | N/A | N/A | N/A |
| Maintenance Monitor | N/A | N/A | N/A | N/A | N/A |
| Cup holder / Position | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod |
| Light Switch | Yes | Yes | Yes | Yes | Yes |
| RMO Switch | Yes | Yes | Yes | Yes | Yes |
| **TIRES / TREAD:** | | | | | |
| Front / Type | 15.00 x 6-6/ Turf | 15.00 x 6-6/ Turf | 15.00 x 6-6/ Turf | 15.00 x 6-6/ Turf | 15.00 x 6-6/ Turf |
| Rear / Type | 20 x 8 - 8 / Turf | 20 x 8 - 8 / Turf | 20 x 8 - 8 / Turf | ***22 x 10 - 8 / Turf*** | 22 x 10 - 8 / Turf |
| **OTHER FEATURES:** | | | | | |
| Steering | Gear / Sector | Gear / Sector | Gear / Sector | Gear / Sector | Gear / Sector |
| Front Axle | Cast Iron | Cast Iron | Cast Iron | Cast Iron | Cast Iron |
| Front Wheel Bearing | Bushing | Bushing | Bushing | Bushing | Bushing |
| Seat | 15" Hi-Back / Black | 15" Hi-Back / Black | 15" Hi-Back / Black | 15" Hi-Back / Black | 15" Hi-Back / Black |
| Seat Suspension | Spring | Spring | Spring | Spring | Spring |
| Seat Adjustment / Positions | Slide / 9 | Slide / 9 | Slide / 9 | Slide / 9 | Slide / 9 |
| Rear Fenders | Steel | Steel | Steel | Steel | Steel |
| Hood Style / Type / Material | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel |

→ indicates step-up feature

# REGENT/500/2500 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity/ Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** |
| **Basic Chassis /Platform** | **Regent/2500** | **Regent/500/2500** | **Regent** | **Regent/500/2500** | **Regent/500/2500** |
| **Horsepower** | **18 Kohler Courage** → | ***20 Briggs & Stratton ELS V-Twin*** | **20 Kohler Courage** → | ***22 Briggs & Stratton ELS V-Twin*** → | ***24 Briggs & Stratton ELS V-Twin*** |
| **Deck** | **38"** | **38"** → | ***44"*** | **44"** → | ***50"*** |
| | | | | | |
| **OTHER FEATURES (CONT):** | | | | | |
| Frame | 12 Gauge | 12 Gauge | 12 Gauge | 12 Gauge | 12 Gauge |
| Headlights | 2-bulb/27W | 2-bulb/27W | 2-bulb/27W | 2-bulb/27W | 2-bulb/27W |
| Footpads | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber |
| Mower Deck Lift System | Mechanical | Mechanical | Mechanical | Mechanical | Mechanical |
| **WARRANTY: MACHINE / ENGINE:** | | | | | |
| Residential Use | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. |
| Commercial Use | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. |
| **DIMENSIONS:** | | | | | |
| Length-Overall (in.) | 71" | 71" | 71" | 71" | 71" |
| Width-Overall (in.) | 46" | 46" | 56" | 56" | 62" |
| Height-Overall (in.) | 45" | 45" | 45" | 45" | 45" |
| Wheelbase (in.) | 50" | 50" | 50" | 50" | 50" |
| Weight (approx.) (lbs.) Tractor / Tractor with deck | 430/502 | 430/520 | 430/552 | 430/552 | 430/585 |
| Shipping Weight (approx.) (lbs.) | 561 | 561 | 632 | 632 | 644 |
| Shipping Container Size | 74" x 50" x 50" | 74" x 50" x 50" | 74" x 50" x 50" | 74" x 50" x 50" | 74" x 50" x 50" |
| Export Container Size | 74" x 35" x 35" | 74" x 35" x 35" | 74" x 35" x 35" | 74" x 35" x 35" | none |
| **ACCESSORIES:** | | | | | |
| Snow Blade 42" (incl. Hitch & Lift Lever) | 1694919 | 1694919 | 1694919 | 1694919 | 1694919 |

→ indicates step-up feature

# REGENT/500/2500 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity/ Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** |
| **Basic Chassis /Platform** | **Regent/2500** | **Regent/500/2500** | **Regent** | **Regent/500/2500** | **Regent/500/2500** |
| **Horsepower** | **18 Kohler Courage** | ***20 Briggs & Stratton ELS V-Twin*** | **20 Kohler Courage** | ***22 Briggs & Stratton ELS V-Twin*** | ***24 Briggs & Stratton ELS V-Twin*** |
| **Deck** | **38"** | **38"** → ***44"*** | | **44"** → ***50"*** | |
| | | | | | |
| **ACCESSORIES (CONT):** | | | | | |
| Bumper - Front | 1694923SM | 1694923SM | 1694923SM | 1694923SM | 1694923SM |
| Dump Cart (10cf) | 1692125SM | 1692125SM | 1692125SM | 1692125SM | 1692125SM |
| Catcher Twin Bag Collector 38" Deck ( No Turbo) | 1695168 | 1695168 | N/A | N/A | N/A |
| Catcher Triple Collector 44" & 50" Deck (No Turbo) | N/A | N/A | 1695169 | 1695169 | 1695169 |
| Wheel/Tires chains for 22 x 10-8 tires | N/A | N/A | N/A | 1695092SM | 1695092SM |
| Wheel/Tires chains for 20 x 8 tires | 1690163SM | 1690163SM | 1690163SM | N/A | N/A |
| Dethatcher (Includes Adapter) | 1695066SM | 1695066SM | 1695066SM | 1695066SM | 1695066SM |
| Mulching Kit 38" | 1692883SM | 1692883SM | N/A | N/A | N/A |
| Mulching Kit 44" | N/A | N/A | 1694957SM | 1694957SM | N/A |
| Mulching Kit 50" | N/A | N/A | N/A | N/A | 1694958SM |
| Mower deck 38" (Simplicity / AGCO) | 1695129 | 1695129 | N/A | N/A | N/A |
| Mower deck 38" (Massey Ferguson) | 1695132 | 1695132 | N/A | N/A | N/A |
| Mower deck 44" (Simplicity / AGCO) | N/A | N/A | 1695130 | 1695130 | N/A |

→ indicates step-up feature

# REGENT/500/2500 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity/ Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** |
| **Basic Chassis /Platform** | **Regent/2500** | **Regent/500/2500** | **Regent** | **Regent/500/2500** | **Regent/500/2500** |
| **Horsepower** | **18 Kohler Courage** | ***20 Briggs & Stratton ELS V-Twin*** | **20 Kohler Courage** | ***22 Briggs & Stratton ELS V-Twin*** | ***24 Briggs & Stratton ELS V-Twin*** |
| **Deck** | **38"** | **38"** → ***44"*** | | **44"** → ***50"*** | |
| | | | | | |
| **ACCESSORIES (CONT):** | | | | | |
| Mower deck 44" (Massey Ferguson) | N/A | N/A | N/A | 1695133 | N/A |
| Mower deck 50" (Simplicity / AGCO) | N/A | N/A | N/A | N/A | 1695131 |
| Mower deck 50" (Massey Ferguson) | N/A | N/A | N/A | N/A | 1695134 |
| Snow Cab Soft sided | 1694921SM | 1694921SM | 1694921SM | 1694921SM | 1694921SM |
| Single-Stage Snow thrower 42" (req. whl. wts.) | 1694920 | 1694920 | 1694920 | 1694920 | 1694920 |
| Turbo, 38, 44 & 50" (reqs. Catcher) | 1695412 | 1695412 | 1695412 | 1695412 | 1695412 |
| Weight, Front Counter Weight | 1691837SM | 1691837SM | 1691837SM | 1691837SM | 1691837SM |
| Weights, rear wheel 31 lb, 1 per wheel | 1690555SM | 1690555SM | 1690555SM | 1690555SM | 1690555SM |
| Weights, suitcase 33 lb - 2 Max, (req. carrier) | 1691319SM | 1691319SM | 1691319SM | 1691319SM | 1691319SM |
| Weight Carrier, rear | 1694922SM | 1694922SM | 1694922SM | 1694922SM | 1694922SM |

→ indicates step-up feature

# Broadmoor/1600/2600 Series Product Specifications

# BROADMOOR/1600/2600 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Broadmoor** | **Broadmoor/ 1600/2600** | **Broadmoor** |
| **Horsepower** | **18 hp Briggs & Stratton Vanguard™** | ➡ ***20 hp Briggs & Stratton Vanguard™*** | **20 hp Briggs & Stratton Vanguard™** |
| **Deck** | **38"** | ➡ ***44"*** | ➡ ***50"*** |
| | | | |
| **BRANDING:** | | | |
| Simplicity Model Number | 2690757 | 2690756 | 2690755 |
| AGCO Model Number | N/A | 2690758 | N/A |
| Massey Ferguson Model Number | N/A | 2690764 | N/A |
| **POWER:** | | | |
| Engine Manufacturer | Briggs & Stratton | Briggs & Stratton | Briggs & Stratton |
| Horsepower / Engine Type | 18 hp Briggs & Stratton Vanguard™ | ➡ ***20 hp Briggs & Stratton Vanguard™*** | 20 hp Briggs & Stratton Vanguard™ |
| Engine Configuration / Type | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter |
| Spin-On Oil Filter | Yes | Yes | Yes |
| Engine Type / Fuel | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas |
| Engine Displacement/ RPM +/-100 (cu.in./cc) | 34.75/570cc/3600 | 34.75/570cc/3600 | 34.75/570cc/3600 |
| Electrical System | 12V-16A Reg. | 12V-16A Reg. | 12V-16A Reg. |
| Fuel Tank Capacity / Position | 4 Gal / under seat | 4 Gal / under seat | 4 Gal / under seat |
| Battery Capacity | 12V-230CCA | 12V-230CCA | 12V-230CCA |
| **MOWER DECK:** | | | |
| Mower Configuration In Crate | Side discharge | Side discharge | Side discharge |
| Width of cut / deck wt approx. | 38"/100lbs | ➡ ***44"/112lbs*** | ➡ ***50"/125lbs*** |
| # of Blades / Type | 2 / Std Lift | ➡ ***3 / Std Lift*** | 3 / Std Lift |
| Cutting Height (in.) | 1" - 4" | 1" - 4" | 1" - 4" |
| Cutting Positions | Infinite height adjust | Infinite height adjust | Infinite height adjust |
| Deck Suspension | Floating Deck | Floating Deck | Floating Deck |
| Deck Support Wheels | Rollers / Striping | Rollers / Striping | Rollers / Striping |
| **TRANSMISSION:** | | | |
| Make / Brand | Tuff-Torq K57 | Tuff-Torq K57 | Tuff-Torq K57 |
| Type / Differential | Hydro | Hydro | Hydro |
| Automatic Controlled Traction | Yes | Yes | Yes |
| 4-Wheel Drive | N/A | N/A | N/A |
| Drive | Belt | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-5.8 / 0-3.5 MPH | 0-5.8 / 0-3.5 MPH | 0-5.8 / 0-3.5 MPH |
| Brake | Disc | Disc | Disc |

➡ indicates step-up feature

# BROADMOOR/1600/2600 SERIES

## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Broadmoor** | **Broadmoor/ 1600/2600** | **Broadmoor** |
| **Horsepower** | **18 hp Briggs & Stratton Vanguard™** | ➡ ***20 hp Briggs & Stratton Vanguard™*** | **20 hp Briggs & Stratton Vanguard™** |
| **Deck** | **38"** | ➡ ***44"*** | ➡ ***50"*** |
| | | | |
| **CONTROLS / INSTRUMENTATION:** | | | |
| Steering Wheel Type / Size | Soft Touch / 13.5" | Soft Touch / 13.5" | Soft Touch / 13.5" |
| Turning Radius (in.) | 18"/1.75 turns | 18"/1.75 turns | 18"/1.75 turns |
| Deck Lift | Infinite - Manual HOC | Infinite - Manual HOC | Infinite - Manual HOC |
| Height-of-cut positions | Infinite | Infinite | Infinite |
| Speed Control - Fwd. & Rev. | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals |
| Cruise Control / Location | Yes / Right Fender | Yes / Right Fender | Yes / Right Fender |
| Blade Clutch | Electric | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | Yes / Below seat | Yes / Below seat | Yes / Below seat |
| Hourmeter / Location | Yes / Dash | Yes / Dash | Yes / Dash |
| Clock | N/A | N/A | N/A |
| Maintenance Monitor | N/A | N/A | N/A |
| Cup holder / Position | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod |
| Light Switch | Yes | Yes | Yes |
| RMO Switch | Yes | Yes | Yes |
| **TIRES / TREAD:** | | | |
| Front / Type | 15.00 x 6.0 - 6 / Turf | 15.00 x 6.0 - 6 / Turf | 15.00 x 6.0 - 6 / Turf |
| Rear / Type | 22.00 x 10.0 - 10 / Turf | 22.00 x 10.0 - 10 / Turf | 22.00 x 10.0 - 10 / Turf |
| **OTHER FEATURES:** | | | |
| Steering | Gear / Sector | Gear / Sector | Gear / Sector |
| Front Axle | Cast Iron | Cast Iron | Cast Iron |
| Front Wheel Bearing | Ball Bearing | Ball Bearing | Ball Bearing |
| Seat | 15" Hi-Back / Black | 15" Hi-Back / Black | 15" Hi-Back / Black |
| Seat Suspension | Spring | Spring | Spring |
| Seat Adjustment / Positions | Slide / 7 | Slide / 7 | Slide / 7 |
| Rear Fenders | Steel | Steel | Steel |
| Hood Style / Type / Material | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel |
| Frame | 10-Gauge | 10-Gauge | 10-Gauge |
| Headlights | 4-bulb | 4-bulb | 4-bulb |
| Footpads | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber |
| Mower Deck Lift System | Mechanical | Mechanical | Mechanical |

➡ indicates step-up feature

# BROADMOOR/1600/2600 SERIES

## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Broadmoor** | **Broadmoor/ 1600/2600** | **Broadmoor** |
| **Horsepower** | **18 hp Briggs & Stratton Vanguard™** | ➡ ***20 hp Briggs & Stratton Vanguard™*** | **20 hp Briggs & Stratton Vanguard™** |
| **Deck** | **38"** | ➡ ***44"*** | ➡ ***50"*** |
| | | | |
| **WARRANTY: MACHINE / ENGINE:** | | | |
| Residential Use | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. |
| Commercial Use | 90 Days / 2 Year - Ltd. | 90 Days / 2 Year - Ltd. | 90 Days / 2 Year - Ltd. |
| Dimensions: | | | |
| Length-Overall (in.) | 70" | 70" | 70" |
| Width-Overall (in.) | 50" | 56" | 62" |
| Height-Overall (in.) | 43" | 43" | 43" |
| Wheelbase (in.) | 53" | 53" | 53" |
| Weight (approx.) (lbs.) Tractor / Tractor with deck | 470/570 | 470/580 | 470/595 |
| Shipping Weight (approx.) (lbs.) | 800 | 814 | 825 |
| Shipping Container Size (in) | 82 x 54 x 46 | 82 x 54 x 46 | 82 x 54 x 46 |
| Export Container Size (in) | 82 x 54 x 46 | 82 x 54 x 46 | 82 x 54 x 46 |
| **ACCESSORIES:** | | | |
| Dozer Blade 42" (req. hitch sub f. & Lift Lever) | 1693754 | 1693754 | 1693754 |
| Dump Cart (10cf) | 1692125SM | 1692125SM | 1692125SM |
| Catcher Twin Bag Collector (38" Deck, Pre 2008) | 1694308 | N/A | N/A |
| Catcher Twin Bag Collector (38" Deck) NEW | 1695353 | N/A | N/A |
| Catcher Triple Bag Collector (44" & 50" Decks, Pre 2008) | N/A | 1694389 | 1694389 |
| Catcher Triple Bag Collector (44" & 50" Decks) NEW | N/A | 1695354 | 1695354 |
| Catcher Hitch, Tube group (Pre 2008) | 1694757 | 1694757 | 1694757 |
| Wheel/Tires chains, 20x10.8 Tires | 1693681SM | 1693681SM | 1693681SM |
| Wheel/Tires chains, 22x10-10 Tires | 1694748SM | 1694748SM | 1694748SM |
| Dethatcher (Requires Adapter) | 1690819SM | 1690819SM | 1690819SM |
| Dethatcher Adapter | 1694332SM | 1694332SM | 1694332SM |
| Mulching Kit 38" | 1692883SM | N/A | N/A |
| Mulching Kit 44" (Pre 2008) | N/A | 1692884SM | N/A |
| Mulching Kit 44" NEW | N/A | 1694957SM | N/A |
| Mulching Kit 50" (Pre 2008) | N/A | N/A | 1692885SM |

➡ indicates step-up feature

# BROADMOOR/1600/2600 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Broadmoor** | **Broadmoor/ 1600/2600** | **Broadmoor** |
| **Horsepower** | **18 hp Briggs & Stratton Vanguard™** | ➡ ***20 hp Briggs & Stratton Vanguard™*** | **20 hp Briggs & Stratton Vanguard™** |
| **Deck** | **38"** | ➡ ***44"*** | ➡ ***50"*** |
| | | | |
| **ACCESSORIES (CONT):** | | | |
| Mulching Kit 50" NEW | N/A | N/A | 1694958SM |
| Hitch (42" Dozer Blade) | 1694147 | 1694147 | 1694147 |
| Lift Lever Kit for 50" units with snow blower and/or snow blade | N/A | N/A | 1694148 |
| Lift Lever Kit for 38" & 44" units with snow blower and/or snow blade | 1694947 | 1694947 | N/A |
| Mower deck 38" (Simplicity) | 1695404 | N/A | N/A |
| Mower deck 44" (Simplicity/AGCO) | N/A | 1695403 | N/A |
| Mower deck 44" (Massey Ferguson) | N/A | 1695414 | N/A |
| Mower deck 50" (Simplicity) | N/A | N/A | 1695402 |
| Snow Cab | 1694152SM | 1694152SM | 1694152SM |
| Single-Stage Snow thrower 42" (req. subframe, lift lever) | 1694295 | 1694295 | 1694295 |
| Single-Stage Snow thrower 46" (req. subframe and lift lever) | 1694296 | 1694296 | 1694296 |
| Two-Stage Snow thrower 42" (req. subframe, lift lever) | 1695360 | 1695360 | 1695360 |
| Sub Frame and hitch (Snow thrower) | 1695196 | 1695196 | 1695196 |
| Sub Frame (req. for 42" blade) | 1695195 | 1695195 | 1695195 |
| Turbo - Optional all 2008 Decks (Requires Collector) NEW UNIVERSAL (Post 2008) | 1695412 | 1695412 | 1695412 |
| Turbo - (Optional 38"/44"/50" (Requires Collector) Pre 2008 models | 1694304 | 1694304 | 1694304 |
| Turbo Mounting kit 38" deck (Pre 2008) | 1694305 | N/A | N/A |
| Turbo Mounting kit 44" & 50" Decks (Pre 2008) | N/A | 1694306 | 1694306 |
| Weight rear wheel 31lbs., 1 each wheel, ** not for use with 22" tires. | 1690555SM | 1690555SM | 1690555SM |
| Rear Weight Carrier (use with suitcase weights) | 1694312SM | 1694312SM | 1694312SM |
| Front Weight Carrier (use with suitcase weights) | 1694155SM | 1694155SM | 1694155SM |
| Utility Bucket (300 lb. capacity) | 1695452 | 1695452 | 1695452 |

➡ indicates step-up feature

# BROADMOOR/1600/2600 SERIES
## 2008 Lawn Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Broadmoor** | **Broadmoor/ 1600/2600** | **Broadmoor** |
| **Horsepower** | **18 hp Briggs & Stratton Vanguard™** | ***20 hp Briggs & Stratton Vanguard™*** | **20 hp Briggs & Stratton Vanguard™** |
| **Deck** | **38"** | ***44"*** | ***50"*** |
| | | | |
| **ACCESSORIES (CONT):** | | | |
| Weight , Suitcase 50lb. Reqs. Rear or front carrier | 1692939SM | 1692939SM | 1692939SM |
| Weight , Suitcase 33lb. Reqs. Rear or front carrier | 1691319SM | 1691319SM | 1691319SM |
| Wide Body Cart Collector with cover - 17 bushel, (reqs. Turbo) | 1694542 | 1694542 | 1694542 |
| Wide Body Cart Collector Hitch and Tube Kit | 1694543 | 1694543 | 1694543 |

indicates step-up feature

# Conquest/1700/2700 Series
# Product Specifications

# CONQUEST/1700/2700 SERIES
## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → ***Conquest/ 1700/2700 PS*** | | **Conquest** → ***Conquest PS 4WD*** | |
| **Horsepower** | **23 hp Kohler Courage** → ***23 hp Briggs & Stratton Vanguard™ V-Twin*** | | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → ***50"*** | | **50"** → ***54"*** | | **50"** |
| | | | | | |
| **BRANDING:** | | | | | |
| Simplicity Model Number | 2690747 | 2690746 | 2690745 | 2690414 | 2690744 |
| AGCO Model Number | N/A | 2690748 | 2690749 | N/A | N/A |
| Massey Ferguson Model Number | N/A | 2690750 | 2690751 | N/A | N/A |
| **POWER:** | | | | | |
| Engine Manufacturer | Kohler | Briggs & Stratton | Briggs & Stratton | Briggs & Stratton | Briggs & Stratton |
| Horsepower/ Engine Type | 23 hp Courage → ***23 hp Briggs & Stratton Vanguard™*** | | 23 hp Briggs & Stratton Vanguard™ | 23 hp Briggs & Stratton Vanguard™ | 23 hp Briggs & Stratton Vanguard™ |
| Engine Configuration / Type | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter |
| Spin-On Oil Filter | Yes | Yes | Yes | Yes | Yes |
| Engine Type / Fuel | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas |
| Engine Displacement (cu.in./cc) | 725cc | 38.2 / 627cc | 38.2 / 627cc | 38.2 / 627cc | 38.2 / 627cc |
| Electrical System | 12V 15 Amp DC Regulated | 12V 16 Amp DC Regulated | 12V 16 Amp DC Regulated | 12V 16 Amp DC Regulated | 12V 16 Amp DC Regulated |
| Oil Drain | Drain Hose | Drain Hose | Drain Hose | Drain Hose | Drain Hose |
| Fuel Tank Capacity / Position | 4 Gal / under seat | 4 Gal / under seat | 4 Gal / under seat | 4 Gal / under seat | 4 Gal / under seat |
| Battery Capacity | 12V-340CCA | 12V-340CCA | 12V-340CCA | 12V-340CCA | 12V-340CCA |
| **MOWER DECK:** | | | | | |
| Mower Configuration In Crate | Side discharge | Side discharge | Side discharge | Side discharge | Side discharge |
| Width of cut | 44" → ***50"*** | | 50" → ***54"*** | | 50" |
| # of Blades / Type | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift |

→ indicates step-up feature

# CONQUEST/1700/2700 SERIES

## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → *Conquest/ 1700/2700 PS* | | **Conquest** → *Conquest PS 4WD* | |
| **Horsepower** | **23 hp Kohler Courage** → *23 hp Briggs & Stratton Vanguard™ V-Twin* | | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → *50"* | | **50"** → *54"* | | **50"** |
| | | | | | |
| **MOWER DECK (CONT):** | | | | | |
| Cutting Height (in.) | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" |
| Cutting Positions | Infinite | Infinite | Infinite | Infinite | Infinite |
| Deck Suspension | Quick Hitch Free Floating | Quick Hitch Free Floating | Quick Hitch Free Floating | Quick Hitch Free Floating | Quick Hitch Free Floating |
| Deck Support Wheels | Rollers | Rollers | Rollers | Rollers | Rollers |
| **TRANSMISSION:** | | | | | |
| Make / Brand | Tuff-Torq K66 | Tuff-Torq K66 | Tuff-Torq K66 | Tuff-Torq K66 | Tuff-Torq K664 |
| Type / Differential | Hydro | Hydro | Hydro | Hydro | Hydro |
| Automatic Controlled Traction | Yes | Yes | Yes | Yes | No |
| 4-Wheel Drive | N/A | N/A | N/A | N/A | Yes |
| Drive | Belt | Belt | Belt | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-6.1 / 0-3.0 MPH | 0-6.1 / 0-3.0 MPH | 0-6.1 / 0-3.0 MPH | 0-6.1 / 0-3.0 MPH | 0-6.1 / 0-3.0 MPH |
| Brake | Disc | Disc | Disc | Disc | Disc |
| **CONTROLS / INSTRUMENTATION:** | | | | | |
| Steering Wheel Type / Size | Soft Touch / 13.5" | Soft Touch / 13.5" | Soft Touch / 13.5" / Tilt | Soft Touch / 13.5" | Soft Touch / 13.5" / Tilt |
| Turning Radius (in.) | 18" | 18" | 18" | 18" | 30" |
| Deck Lift | Manual Lever Spr Assist | Manual Lever Spr Assist | Manual Lever Spr Assist | Manual Lever Spr Assist | Manual Lever Spr Assist |
| Height-of-cut positions | Infinite | Infinite | Infinite | Infinite | Infinite |
| Speed Control - Fwd. & Rev. | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals |
| Cruise Control / Location | Yes / in Fender-Pod | Yes / in Fender-Pod | Yes / in Fender-Pod | Yes / in Fender-Pod | Yes / in Fender-Pod |
| Blade Clutch | Electric | Electric | Electric | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash |

→ indicates step-up feature

# CONQUEST/1700/2700 SERIES

## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → ***Conquest/ 1700/2700 PS*** | | **Conquest** → ***Conquest PS 4WD*** | |
| **Horsepower** | **23 hp Kohler Courage** | → ***23 hp Briggs & Stratton Vanguard™ V-Twin*** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → | ***50"*** | **50"** → | ***54"*** | **50"** |
| | | | | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | | | | |
| Hourmeter / Location | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash |
| Clock | Yes | Yes | Yes | Yes | Yes |
| Maintenance Monitor | Yes | Yes | Yes | Yes | Yes |
| Cup holder / Position | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod |
| Light Switch | Yes | Yes | Yes | Yes | Yes |
| RMO Switch | Yes | Yes | Yes | Yes | Yes |
| **TIRES / TREAD:** | | | | | |
| Front / Type | 16.00 x 6.5 - 8 / Turf | 16.00 x 6.5 - 8 / Turf | 16.00 x 6.5 - 8 / Turf | 16.00 x 6.5 - 8 / Turf | 16.00 x 6.5 - 8 / Turf |
| Rear / Type | 23.00 x 10.5 - 12 / Turf | 23.00 x 10.5 - 12 / Turf | 23.00 x 10.5 - 12 / Turf | 23.00 x 10.5 - 12 / Turf | 23.00 x 10.5 - 12 / Turf |
| **OTHER FEATURES:** | | | | | |
| Steering | Gear / Sector | Gear / Sector → | ***Hydraulic - Power Steer*** | Gear / Sector → | ***Hydraulic - Power Steer*** |
| Front Axle | Cast Iron | Cast Iron | Cast Iron | Cast Iron | Cast Iron |
| Front Wheel Bearing | Ball Bearing | Ball Bearing | Ball Bearing | Ball Bearing | Ball Bearing |
| Seat | 18" Hi-Back / Black | 18" Hi-Back / Black | 18" Hi-Back / Black | 18" Hi-Back / Black | 18" Hi-Back / Black |
| Seat Suspension | Spring | Spring | Spring | Spring | Spring |
| Seat Adjustment / Positions | Slide / 7 | Slide / 7 | Slide / 7 | Slide / 7 | Slide / 7 |
| Rear Fenders | Steel | Steel | Steel | Steel | Steel |
| Hood Style / Type / Material | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel |
| Frame | 10-Gauge | 10-Gauge | 10-Gauge | 10-Gauge | 10-Gauge |
| Headlights | 4-bulb | 4-bulb | 4-bulb | 4-bulb | 4-bulb |
| Footpads | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber |
| Mower Deck Lift System | Mechanical | Mechanical | Mechanical | Mechanical | Mechanical |

→ indicates step-up feature

# CONQUEST/1700/2700 SERIES

## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → *Conquest/ 1700/2700 PS* | | **Conquest** → *Conquest PS 4WD* | |
| **Horsepower** | **23 hp Kohler Courage** → *23 hp Briggs & Stratton Vanguard™ V-Twin* | | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → *50"* | | **50"** → *54"* | | **50"** |
| | | | | | |
| **WARRANTY: MACHINE / ENGINE:** | | | | | |
| Residential Use | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. |
| Commercial Use | 90 Days / 1 Year - Ltd. | 90 Days / 2 Year - Ltd. | 90 Days / 2 Year - Ltd. | 90 Days / 2 Year - Ltd. | 90 Days / 2 Year - Ltd. |
| **DIMENSIONS:** | | | | | |
| Length-Overall (in.) | 75" | 75" | 75" | 75" | 75" |
| Width-Overall (in.) | 56" | 62" | 62" | 64" | 62" |
| Height-Overall (in.) | 47" | 47" | 47" | 47" | 47" |
| Wheelbase (in.) | 53" | 53" | 53" | 53" | 53" |
| Weight (approx.) (lbs.) | 711 | 711 | 711 | 711 | 824 |
| Shipping Weight (approx.) (lbs.) | 902 | 916 | 902 | 967 | 1015 |
| Shipping Container Size | 82 x 54 x 46 | 82 x 54 x 46 | 82 x 54 x 46 | 82 x 54 x 46 | 82 x 54 x 46 |
| **ACCESSORIES:** | | | | | |
| Dozer Blade 42" (req. hitch & sub frame) | 1693754 | 1693754 | 1693754 | 1693754 | 1693754 |
| Dump Cart (10cf) | 1692125SM | 1692125SM | 1692125SM | 1692125SM | 1692125SM |
| Catcher Triple Bag Collector (44" & 50: Decks) NEW | 1695354 | 1695354 | 1695354 | N/A | 1695354 |
| Triple Bag Collector (54" Decks req Turbo & Hitch & Tube Kit) also all pre 44" & 50" 2008 decks | 1694389 | 1694389 | 1694389 | 1694389 | 1694389 |
| Catcher hitch, tube (54" deck only) | N/A | N/A | N/A | 1694757 | N/A |

→ indicates step-up feature

# CONQUEST/1700/2700 SERIES
## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → *Conquest/ 1700/2700 PS* | | **Conquest** → *Conquest PS 4WD* | |
| **Horsepower** | **23 hp Kohler Courage** → *23 hp Briggs & Stratton Vanguard™ V-Twin* | | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → *50"* | | **50"** → *54"* | | **50"** |
| | | | | | |
| **ACCESSORIES (CONT):** | | | | | |
| Wheel/Tires chains (23x10.5x12) | 1690095SM | 1690095SM | 1690095SM | 1690095SM | 1690095SM |
| Dethatcher (requires adapter) | 1690819SM | 1690819SM | 1690819SM | 1690819SM | 1690819SM |
| Dethatcher Adapter | 1694332SM | 1694332SM | 1694332SM | 1694332SM | 1694332SM |
| Mulching Kit 44" (pre 2008) | 1692884SM | N/A | N/A | N/A | N/A |
| Mulching Kit 44" NEW | 1694957SM | N/A | N/A | N/A | N/A |
| Mulching Kit 50" (pre 2008) | N/A | 1692885SM | 1692885SM | N/A | 1692885SM |
| Mulching Kit 50" NEW | N/A | 1694958SM | 1694958SM | N/A | 1694958SM |
| Mulching Kit 54" | N/A | N/A | N/A | 1694508SM | N/A |
| Hitch (42" Dozer Blade) | 1694147 | 1694147 | 1694147 | 1694147 | 1694147 |
| Mower deck 44" (Simplicity) | 1695399 | N/A | N/A | N/A | N/A |
| Mower deck 50" (Simplicity/ AGCO) | N/A | 1695396 | 1695396 | N/A | N/A |
| Mower deck 50" (Massey Ferguson) | N/A | 1695397 | 1695397 | N/A | N/A |
| Mower deck 54" (Simplicity) | N/A | N/A | N/A | 1694366 | N/A |
| Mower deck 50" 4WD (Simplicity) | N/A | N/A | N/A | N/A | 1695390 |
| Rear Attachment Kit | 1694192SM | 1694192SM | 1694192SM | 1694192SM | 1694192SM |
| Snow Cab | 1694152SM | 1694152SM | 1694152SM | 1694152SM | 1694152SM |

→ indicates step-up feature

# CONQUEST/1700/2700 SERIES
## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → ***Conquest/ 1700/2700 PS*** | | **Conquest** → ***Conquest PS 4WD*** | |
| **Horsepower** | **23 hp Kohler Courage** → ***23 hp Briggs & Stratton Vanguard™ V-Twin*** | | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → ***50"*** | | **50"** → ***54"*** | | **50"** |
| | | | | | |
| **ACCESSORIES (CONT):** | | | | | |
| Single-Stage Snow thrower 42" (req sub frame) | 1694295 | 1694295 | 1694295 | 1694295 | 1694295 |
| Single-Stage Snow thrower 46" (req sub frame) | 1694296 | 1694296 | 1694296 | 1694296 | 1694296 |
| Two-Stage Snow thrower 42" (req sub frame) | 1695360 | 1695360 | 1695360 | 1695360 | 1695360 |
| Dozer Sub Frame | 1695195 | 1695195 | 1695195 | 1695195 | 1695195 |
| Snow thrower Sub Frame & Hitch | 1695196 | 1695196 | 1695196 | 1695196 | 1695196 |
| 36" Tiller (requires Frt carrier and weights) | 1695419 | 1695419 | 1695419 | 1695419 | 1695419 |
| Turbo - for 54" only (Requires Collector, Tube and Hitch Kit) | N/A | N/A | N/A | 1695299 | N/A |
| Turbo - (Optional 44"/50" (Requires Collector) Pre 2008 decks | 1694304 | 1694304 | 1694304 | N/A | 1694304 |
| Universal Turbo - All 2008 decks, Optional for 44 & 50 " decks requires Collector | 1695412 | 1695412 | 1695412 | N/A | 1695412 |
| Turbo Mounting kit 44" & 50" Decks (Pre 2008) | 1694306 | 1694306 | 1694306 | N/A | 1694306 |
| Utility Bucket (300 lb. Capacity) | 1695452 | 1695452 | 1695452 | 1695452 | 1695452 |

→ indicates step-up feature

# CONQUEST/1700/2700 SERIES
## 2008 Yard Tractor Product Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Conquest** | **Conquest/ 1700/2700** → *Conquest/ 1700/2700 PS* | | **Conquest** → *Conquest PS 4WD* | |
| **Horsepower** | **23 hp Kohler Courage** → *23 hp Briggs & Stratton Vanguard™ V-Twin* | | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** | **23 hp Briggs & Stratton Vanguard™ V-Twin** |
| **Deck** | **44"** → *50"* | | **50"** → *54"* | | **50"** |
| | | | | | |
| **ACCESSORIES (CONT):** | | | | | |
| Weight , Wheel 50lb. 1 weight | 1693160SM | 1693160SM | 1693160SM | 1693160SM | 1693160SM |
| Rear Weight Carrier (use with rear weights) | 1694312SM | 1694312SM | 1694312SM | 1694312SM | 1694312SM |
| Front Weight Carrier (use with suitcase weights) | 1694155SM | 1694155SM | 1694155SM | 1694155SM | 1694155SM |
| Weight , Suitcase 50lb. Reqs. Rear or front carrier | 1692939SM | 1692939SM | 1692939SM | 1692939SM | 1692939SM |
| Weight , Suitcase 33lb. Reqs. Rear or front carrier | 1691319SM | 1691319SM | 1691319SM | 1691319SM | 1691319SM |
| Wide Body Cart Collector with cover - 17 bushel, (reqs. Turbo) | 1694542 | 1694542 | 1694542 | 1694542 | 1694542 |
| Wide Body Cart Collector Hitch and Tube Kit | 1694692 | 1694692 | 1694692 | 1694692 | 1694692 |

→ indicates step-up feature

# Prestige/1800/2800 Series Product Specifications

# PRESTIGE/1800/2800 SERIES

## 2008 Garden Tractor Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Prestige/1800/ 2800 PS** | **Prestige/1800/ 2800 PS** → | ***Prestige PS 4WD*** |
| **Horsepower** | **25 hp Kohler Command** → | ***27 hp Kohler Command*** | **27 hp Kohler Command** |
| | | | |
| **BRANDING:** | | | |
| Simplicity Model Number | 2690736 | 2690737 | 2690735 |
| AGCO Model Number | 2690738 | 2690739 | N/A |
| Massey Ferguson Model Number | 2690740 | 2690741 | N/A |
| **POWER:** | | | |
| Engine Manufacturer | Kohler | Kohler | Kohler |
| Horsepower / Engine Type | 25 hp Kohler Command → | ***27 hp Kohler Command*** | 27 hp Kohler Command |
| Engine Configuration / Type | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter |
| Spin-On Oil Filter | Yes | Yes | Yes |
| Engine Type / Fuel | Air-cooled / Gas | Air-cooled / Gas | Air-cooled / Gas |
| Engine Displacement (cu.in./cc) | 725cc | 725cc | 725cc |
| Electrical System | 12V 15 Amp DC Regulated | 12V 15 Amp DC Regulated | 12V 15 Amp DC Regulated |
| Oil Drain | Drain Hose | Drain Hose | Drain Hose |
| Fuel Tank Capacity / Position | 4 Gal / under seat | 4 Gal / under seat | 4 Gal / under seat |
| Battery Capacity | 12V-500CCA | 12V-500CCA | 12V-500CCA |
| **TRANSMISSION:** | | | |
| Make / Brand | Tuff-Torq K71 | Tuff-Torq K71 | Tuff-Torq K664 |
| Type / Differential | Hydro w/ Diff Lock | Hydro w/ Diff Lock | Hydro |
| Automatic Controlled Traction | Yes | Yes | No |
| 4-Wheel Drive | N/A | N/A | Yes |
| Drive | Belt | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-6.1 / 0-3.0 MPH | 0-6.1 / 0-3.0 MPH | 0-6.1 / 0-3.0 MPH |
| Brake | Disc | Disc | Disc |
| **CONTROLS / INSTRUMENTATION:** | | | |
| Steering Wheel Type / Size | Soft Touch / 13.5" / Tilt | Soft Touch / 13.5" / Tilt | Soft Touch / 13.5" / Tilt |
| Turning Radius (in.) | 18" | 18" | 30" |
| Deck Lift | Hydraulic | Hydraulic | Hydraulic |
| Height-of-cut positions | Infinite | Infinite | Infinite |
| Speed Control - Fwd. & Rev. | Separate Foot Pedals | Separate Foot Pedals | Separate Foot Pedals |
| Cruise Control / Location | Yes / Right Fender | Yes / Right Fender | Yes / Right Fender |

→ indicates step-up feature

# PRESTIGE/1800/2800 SERIES

## 2008 Garden Tractor Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Prestige/1800/ 2800 PS** | **Prestige/1800/ 2800 PS** → | ***Prestige PS 4WD*** |
| **Horsepower** | **25 hp Kohler Command** → | ***27 hp Kohler Command*** | **27 hp Kohler Command** |
| | | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | | |
| Blade Clutch | Electric | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | Yes / Dash | Yes / Dash | Yes / Dash |
| Hourmeter / Location | Yes / Dash | Yes / Dash | Yes / Dash |
| Clock | Yes | Yes | Yes |
| Maintenance Monitor | Yes | Yes | Yes |
| Cup holder / Position | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod |
| Light Switch | Yes | Yes | Yes |
| RMO Switch | Yes | Yes | Yes |
| **TIRES / TREAD:** | | | |
| Front / Type | 16.00 x 6.5 - 8 / Turf | 16.00 x 6.5 - 8 / Turf | 16.00 x 6.5 - 8 / Turf |
| Rear / Type | 24.00 x 12.0 - 12 / Turf | 24.00 x 12.0 - 12 / Turf | 23.00 x 10.5 - 12 / Turf |
| **OTHER FEATURES:** | | | |
| Steering | Hydraulic Power Steering | Hydraulic Power Steering | Hydraulic Power Steering |
| Front Axle | Cast Iron | Cast Iron | Tuff Torq Hydraulic |
| Front Wheel Bearing | Ball Bearing | Ball Bearing | Keyed Drive Wheels |
| Seat | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black |
| Seat Suspension | Spring adjustable 2 pos. | Spring adjustable 2 pos. | Spring adjustable 2 pos. |
| Seat Adjustment / Positions | Slide / 7 | Slide / 7 | Slide / 7 |
| Rear Fenders | Steel | Steel | Steel |
| Hood Style / Type / Material | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel |
| Frame | 10-Gauge | 10-Gauge | 10-Gauge |
| Headlights | 4-bulb | 4-bulb | 4-bulb |
| Footpads | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber |
| Mower Deck Lift System | Hydraulic | Hydraulic | Hydraulic |
| **WARRANTY: MACHINE / ENGINE:** | | | |
| Residential Use | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. |
| Commercial Use | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. |

→ indicates step-up feature

# PRESTIGE/1800/2800 SERIES

## 2008 Garden Tractor Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Prestige/1800/ 2800 PS** | **Prestige/1800/ 2800 PS** → | ***Prestige PS 4WD*** |
| **Horsepower** | **25 hp Kohler Command** → | ***27 hp Kohler Command*** | **27 hp Kohler Command** |
| | | | |
| **DIMENSIONS:** | | | |
| Length-Overall (in.) | 75" | 75" | 75" |
| Width-Overall (in.) | 42" Tractor Only | 42" Tractor Only | 42" Tractor Only |
| Height-Overall (in.) | 50" | 50" | 50" |
| Wheelbase (in.) | 53" | 53" | 53" |
| Weight (approx.) (lbs.) | 666 Tractor Only | 666 Tractor Only | 666 Tractor Only |
| Shipping Weight (approx.) (lbs.) | 786 Tractor Only | 786 Tractor Only | 786 Tractor Only |
| Shipping Container Size | 82 x 54 x 46 | 82 x 54 x 46 | 82 x 54 x 46 |
| **ACCESSORIES:** | | | |
| Dozer Blade 42" (req. hitch & sub frame) | 1693754 | 1693754 | 1693754 |
| Dump Cart (10cf) | 1692125SM | 1692125SM | 1692125SM |
| Catcher Triple Bag Collector (44" & 50" Decks) NEW | 1695354 | 1695354 | 1695354 |
| Triple Bag Collector (54" Decks req Turbo & Hitch & Tube Kit) also all pre 44" & 50" 2008 decks | 1694389 | 1694389 | 1694389 |
| Catcher hitch, tube (54" deck only) | 1694757 | 1694757 | 1694757 |
| Wheel/Tires chains (23x10.5x12) | N/A | N/A | 1690095SM |
| Wheel/Tires chains (24x12x12) | 1694753SM | 1694753SM | N/A |
| Dethatcher (requires adapter) | 1690819SM | 1690819SM | 1690819SM |
| Dethatcher Adapter | 1694332SM | 1694332SM | 1694332SM |
| Mulching Kit 44" (pre 2008) | 1692884SM | 1692884SM | 1692884SM |
| Mulching Kit 44" NEW | 1694957SM | 1694957SM | 1694957SM |
| Mulching Kit 50" (pre 2008) | 1692885SM | 1692885SM | 1692885SM |
| Mulching Kit 50" NEW | 1694958SM | 1694958SM | 1694958SM |
| Mulching Kit 54" | 1694508SM | 1694508SM | 1694508SM |
| Hitch (42" Dozer Blade) | 1694147 | 1694147 | 1694147 |
| Rear Attachment Kit (Use with 1695419 Tiller) | 1694192SM | 1694192SM | 1694192SM |
| Snow Cab | 1694152SM | 1694152SM | 1694152SM |
| Single-Stage Snow thrower 42" (req sub frame) | 1694295 | 1694295 | 1694295 |
| Single-Stage Snow thrower 46" (req sub frame) | 1694296 | 1694296 | 1694296 |
| Two-Stage Snow thrower 42" (req sub frame) | 1695360 | 1695360 | 1695360 |

→ indicates step-up feature

# PRESTIGE/1800/2800 SERIES

## 2008 Garden Tractor Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity/AGCO/ Massey** | **Simplicity** |
| **Basic Chassis /Platform** | **Prestige/1800/ 2800 PS** | **Prestige/1800/ 2800 PS** | ***Prestige PS 4WD*** |
| **Horsepower** | **25 hp Kohler Command** | ***27 hp Kohler Command*** | **27 hp Kohler Command** |
| | | | |
| **ACCESSORIES (CONT):** | | | |
| Dozer Sub Frame | 1695195 | 1695195 | 1695195 |
| Snow thrower Sub Frame & Hitch | 1695196 | 1695196 | 1695196 |
| 36" Tiller (requires Frt carrier and weights) | 1695419 | 1695419 | 1695419 |
| Turbo - for 54" only (Requires Collector, Tube and Hitch Kit) | 1695299 | 1695299 | 1695299 |
| Turbo - (Optional 44"/50" (Requires Collector) Pre 2008 decks) | 1694304 | 1694304 | 1694304 |
| Universal Turbo - Optional for 44 & 50" decks, require collector | 1695412 | 1695412 | 1695412 |
| Turbo Mounting kit 44" & 50" Decks (Pre 2008) | 1694306 | 1694306 | 1694306 |
| Utility Bucket (300 lb. Capacity) | 1695452 | 1695452 | 1695452 |
| Weight , Wheel 50lb. 1 weight | 1693160SM | 1693160SM | 1693160SM |
| Rear Weight Carrier (use with rear weights) | 1694312SM | 1694312SM | 1694312SM |
| Front Weight Carrier (use with suitcase weights) | 1694155SM | 1694155SM | 1694155SM |
| Weight , Suitcase 50lb. Reqs. Rear or front carrier | 1692939SM | 1692939SM | 1692939SM |
| Weight , Suitcase 33lb. Reqs. Rear or front carrier | 1691319SM | 1691319SM | 1691319SM |
| Wide Body Cart Collector with cover - 17 bushel, (reqs. Turbo) | 1694542 | 1694542 | 1694542 |
| Wide Body Cart Collector Hitch and Tube Kit | 1694692 | 1694692 | 1694692 |

indicates step-up feature

# PRESTIGE/1800/2800 SERIES
## 2008 GARDEN TRACTOR PRODUCT SPECIFICATIONS

| MOWER DECKS: | | | | | | |
|---|---|---|---|---|---|---|
| | 44" Deck Only | *50" Deck Only* | *54" Deck Only* | 4WD 44" Deck Only | *4WD 50" Deck Only* | *4WD 54" Deck Only* |
| **Simplicity** | **1695391** | **1695392** | **1695177** | **1695424** | **1695390** | **1695266** |
| **AGCO** | **N/A** | **1695392** | **1695177** | **N/A** | **N/A** | **N/A** |
| **Massey Ferguson** | **N/A** | **1695393** | **1695179** | **N/A** | **N/A** | **N/A** |
| | | | | | | |
| **MOWER CONFIGURATION:** | | | | | | |
| Width of cut | 44" | *50"* | *54"* | 44" | *50"* | *54"* |
| # of Blades / Type | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift | 3 / Std Lift |
| Cutting Height (in.) | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" | 1.5" - 4" |
| Cutting Positions | Infinite Electric HOC | Infinite Electric HOC | Infinite Electric HOC | Infinite Electric HOC | Infinite Electric HOC | Infinite Electric HOC |
| Deck Suspension | Free Floating | Free Floating | Free Floating | Free Floating | Free Floating | Free Floating |
| Deck Support Wheels | Rollers | Rollers | Rollers | Rollers | Rollers | Rollers |

→ indicates step-up feature

# Legacy XL/2027/2927 Series Product Specifications

# LEGACY XL/2027/2927 SERIES
## 2008 Garden Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Legacy XL/ 2027/2927-2WD- Turf Tires** | **Legacy XL-2WD- Turf Tires** | **Legacy XL-*4WD*- Turf Tires** |
| **Horsepower** | **27 hp Kohler Command - Gas** | ***27 hp - Kawasaki - LC*** | **27 hp Kohler Command - Gas** |
| | | | |
| **BRANDING:** | | | |
| Simplicity Model Number | 1694644 | 1694643 | 2690351 |
| AGCO Model Number | 1694650 | N/A | N/A |
| Massey Ferguson Model Number | 1694653 | N/A | N/A |
| **POWER:** | | | |
| Engine Manufacturer | Kohler | ***Kawasaki*** | Kohler |
| Horsepower / Engine Type | 27 hp Kohler Command | ***27 hp Kawasaki*** | 27 hp Kohler Command |
| Engine Configuration / Type | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter |
| Spin-On Oil Filter | Yes | Yes | Yes |
| Engine Type / Fuel | Air-cooled / Gas | Liquid Cooled / Gas | Air-cooled / Gas |
| Engine Displacement (cu.in./cc) | 725cc | 745cc | 725cc |
| Electrical System | 12V 15 Amp DC Regulated | 12V 20 Amp DC Regulated | 12V 20 Amp DC Regulated |
| Oil Drain | Drain Hose | Drain Hose | Drain Hose |
| Fuel Tank Capacity / Position | 5.5 Gal / under seat | 5.5 Gal / under seat | 5.5 Gal / under seat |
| Battery Capacity | 12V-500CCA | 12V-500CCA | 12V-500CCA |
| **TRANSMISSION:** | | | |
| Make / Brand | Tuff-Torq K92 | Tuff-Torq K92 | Tuff-Torq K92 |
| Type / Differential | Hydro w/ Diff Lock | Hydro w/ Diff Lock | Hydro w/ Diff Lock |
| Automatic Controlled Traction | Yes | Yes | Yes |
| 4-Wheel Drive | N/A | N/A | Yes |
| Drive | Shaft | Shaft | Shaft |
| Ground Speed: Fwd / Rev (MPH) | 0-9.0 / 0-5.5 MPH | 0-9.0 / 0-5.5 MPH | 0-9.0 / 0-5.5 MPH |
| Brake | Internal Wet Disc | Internal Wet Disc | Internal Wet Disc |
| **CONTROLS / INSTRUMENTATION:** | | | |
| Steering Wheel Type / Size | Soft Touch / 15" / Tilt | Soft Touch / 15" / Tilt | Soft Touch / 15" / Tilt |
| Turning Radius (in.) | 28" | 28" | 35" 2WD / 55" 4WD |
| Deck Lift | Electric | Electric | Electric |
| Height-of-cut positions | Infinite | Infinite | Infinite |
| Speed Control - Fwd. & Rev. | Side by Side Foot pedals | Side by Side Foot pedals | Side by Side Foot pedals |
| Cruise Control / Location | Hand Cruise Control | Hand Cruise Control | Hand Cruise Control |

indicates step-up feature

# LEGACY XL/2027/2927 SERIES
## 2008 Garden Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Legacy XL/ 2027/2927-2WD- Turf Tires** | **Legacy XL-2WD- Turf Tires** | **Legacy XL-*4WD*- Turf Tires** |
| **Horsepower** | **27 hp Kohler Command - Gas** | ***27 hp - Kawasaki - LC*** | **27 hp Kohler Command - Gas** |
| | | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | | |
| Blade Clutch | Electric | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | Yes / Dash | Yes / Dash | Yes / Dash |
| Hourmeter / Location | Yes / Dash | Yes / Dash | Yes / Dash |
| Clock | N/A | N/A | N/A |
| Maintenance Monitor | Yes | Yes | Yes |
| Cup holder / Position | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod |
| Light Switch | Yes | Yes | Yes |
| RMO Switch | Yes | Yes | Yes |
| **TIRES / TREAD:** | | | |
| Front / All 4-ply / Type | 18.00 x 8.5 - 8 / Turf | 18.00 x 8.5 - 8 / Turf | 18.00 x 8.5 - 8 / Turf |
| Rear / All 4-ply / Type | 26.00 x 12.0 - 12 / Turf | 26.00 x 12.0 - 12 / Turf | 26.00 x 12.0 - 12 / Turf |
| **OTHER FEATURES:** | | | |
| Steering | Hydraulic Power Steering | Hydraulic Power Steering | Hydraulic Power Steering |
| Front Axle | Cast Iron | Cast Iron | Cast Iron |
| Front Wheel Bearing | Ball Bearing | Ball Bearing | Ball Bearing |
| Seat | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black |
| Seat Suspension | Tapered Spring | Tapered Spring | Tapered Spring |
| Seat Adjustment / Positions | 7" Slide / 14 | 7" Slide / 14 | 7" Slide / 14 |
| Rear Fenders | Steel | Steel | Steel |
| Hood Style / Type / Material | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel |
| Frame | 7-Gauge Steel | 7-Gauge Steel | 7-Gauge Steel |
| Headlights | 2-bulb | 2-bulb | 2-bulb |
| Footpads | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber |
| Mower Deck Lift System | Electric | Electric | Electric |
| **WARRANTY: MACHINE / ENGINE:** | | | |
| Residential Use | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. |
| Commercial Use | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. |

indicates step-up feature

# LEGACY XL/2027/2927 SERIES
## 2008 Garden Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Legacy XL/ 2027/2927-2WD- Turf Tires** | **Legacy XL-2WD- Turf Tires** | **Legacy XL-*4WD*- Turf Tires** |
| **Horsepower** | **27 hp Kohler Command - Gas** | ***27 hp - Kawasaki - LC*** | **27 hp Kohler Command - Gas** |
| | | | |
| **DIMENSIONS:** | | | |
| Length-Overall (in.) | 81" | 81" | 81" |
| Width-Overall (in.) | 44.75 Tractor Only | 44.75 Tractor Only | 44.75 Tractor Only |
| Height-Overall (in.) | 51" | 51" | 51" |
| Wheelbase (in.) | 58.5" | 58.5" | 58.5" |
| Weight (approx.) (lbs.) | 830 Tractor Only | 880 Tractor Only | 980 Tractor Only |
| Shipping Weight (approx.) (lbs.) | 1025 Tractor Only | 1075 Tractor Only | 1175 Tractor Only |
| Shipping Container Size | 89.25 x 60 x 48.5 | 89.25 x 60 x 48.5 | 89.25 x 60 x 48.5 |
| **ACCESSORIES:** | | | |
| Ballast Box | 1694538SM | 1694538SM | 1694538SM |
| 60" Blade, hydraulic angling, requires subframe | 1694387 | 1694387 | 1694387 |
| Box Scraper/Scarrifier | 1694551 | 1694551 | 1694551 |
| Broom 60" (req PTO and Subframe) | 1694388 | 1694388 | 1694388 |
| Broom Front PTO Drive | 1694560 | 1694560 | 1694560 |
| Dump Cart 10 cu. ft. | 1692125SM | 1692125SM | 1692125SM |
| Triple Catcher - requires Turbo Catcher w/Turbo & Hitch Kit | 1694389 | 1694389 | 1694389 |
| Catcher Hitch Tube Group | 1694390 | 1694390 | 1694390 |
| Chains 26x12-12 pair | 1692562SM | 1692562SM | 1692562SM |
| Grass Mulcher Kit 54" | 1694508SM | 1694508SM | 1694508SM |
| Hitch 3 Point | 1694391 | 1694391 | 1694391 |
| Hitch Subframe | 1694395 | 1694395 | 1694395 |
| Loader Front End 48" (Orange) | 1694396 | 1694396 | 1694396 |
| Loader Front End 48" (Black) | 1694486 | 1694486 | 1694486 |
| Post hole Digger 6" Auger, PTO | 1694579SM | 1694579SM | 1694579SM |
| Rear PTO 540RPM | 1694399 | 1694399 | 1694399 |
| Rear Scraper Blade 60" | 1694580 | 1694580 | 1694580 |
| ROPS (Roll Over Protective Structure) | 1694400SM | 1694400SM | 1694400SM |
| Snow Cab, Hard | 1694401SM | 1694401SM | 1694401SM |
| Snow Cab, Softside Deluxe | 1694402SM | 1694402SM | 1694402SM |
| Snow Thrower Single-Stage, 46" | 1694403 | 1694403 | 1694403 |
| Snow Thrower Two-Stage, 47" | 1694404 | 1694404 | 1694404 |
| Tiller 50" 500RPM | 1694405 | 1694405 | 1694405 |
| Turbo 48" | 1694496 | 1694496 | 1694496 |

indicates step-up feature

# LEGACY XL/2027/2927 SERIES
## 2008 Garden Tractor Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity/AGCO/ Massey** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Legacy XL/ 2027/2927-2WD- Turf Tires** | **Legacy XL-2WD- Turf Tires** | **Legacy XL-*4WD*- Turf Tires** |
| **Horsepower** | **27 hp Kohler Command - Gas** | ***27 hp - Kawasaki - LC*** | **27 hp Kohler Command - Gas** |
| | | | |
| **ACCESSORIES (CONT):** | | | |
| Turbo 54" | 1695299 | 1695299 | 1695299 |
| Turbo 60" | 1694497 | 1694497 | 1694497 |
| Turbo 72" | TBD | TBD | TBD |
| Turbo Wide Body Collector | 1694542 | 1694542 | 1694542 |
| Turbo Hitch & Tube Kit for Wide Body Collector | 1694545 | 1694545 | 1694545 |
| Weight Carrier Front | 1694409SM | 1694409SM | 1694409SM |
| Weight Carrier Rear | 1692941SM | 1692941SM | 1692941SM |
| Weight Suitcase 33# | 1691319SM | 1691319SM | 1691319SM |
| Weight Suitcase 50# | 1692939SM | 1692939SM | 1692939SM |
| Weight Rear Wheel 50# | 1693160SM | 1693160SM | 1693160SM |

indicates step-up feature

# LEGACY XL/2027/2927
## 2008 Series Garden Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Legacy XL-4WD-Field Trac Tires** | **Legacy XL/ 2027/2927-4WD-Turf Tires-** ➡ ***RPTO*** | **Legacy XL-4WD-Field Trac Tires-RPTO** | **Legacy XL-4WD-Turf Tires-RPTO** | **Legacy XL-4WD-Field Trac Tires-RPTO** |
| **Horsepower** | **27 hp Kohler Com. - Gas** | ➡ ***27 hp - Kawasaki - LC*** | **27 hp - Kawasaki - LC** | **27 hp B&S/D-Diesel** | **27 hp B&S/D-Diesel** |
| | | | | | |
| **BRANDING:** | | | | | |
| Simplicity Model Number | 2690352 | 2690346 | 2690347 | 2690344 | 2690345 |
| AGCO Model Number | N/A | 2690365 | N/A | N/A | N/A |
| Massey Ferguson Model Number | N/A | 2690348 | N/A | N/A | N/A |
| **POWER**: | | | | | |
| Engine Manufacturer | Kohler ➡ ***Kawasaki*** | | Kawasaki ➡ ***B&S / Daihatsu Diesel*** | | B&S / Daihatsu Diesel |
| Horsepower/ Engine Type | 27 hp Kohler Command ➡ ***27 hp Kawasaki*** | | 27 hp Kawasaki ➡ ***27 hp Diesel*** | | 27 hp Diesel |
| Engine Configuration / Type | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter | V-Twin / OHV, w/ oil filter ➡ ***In-line 3 cylinder, w/oil filter*** | | In-line 3 cylinder, w/oil filter |
| Spin-On Oil Filter | Yes | Yes | Yes | Yes | Yes |
| Engine Type / Fuel | Air-cooled / Gas | Air-cooled / Gas | Liquid Cooled / Gas ➡ ***Liquid Cooled Diesel*** | | Liquid Cooled Diesel |
| Engine Displacement (cu.in./cc) | 725cc | 745cc | 745cc ➡ ***952cc*** | | 952cc |
| Electrical System | 12V 20 Amp DC Regulated | 12V 20 Amp DC Regulated | 12V 20 Amp DC Regulated | 12V 40 Amp DC Regulated | 12V 40 Amp DC Regulated |
| Oil Drain | Drain Hose | Drain Hose | Drain Hose | Oil Pan Plug | Oil Pan Plug |
| Fuel Tank Capacity/Position | 5.5 Gal / under seat | 5.5 Gal / under seat | 5.5 Gal / under seat | 5.5 Gal / under seat | 5.5 Gal / under seat |
| Battery Capacity | 12V-500CCA | 12V-500CCA | 12V-500CCA | 12V-500CCA | 12V-500CCA |
| **TRANSMISSION:** | | | | | |
| Make / Brand | Tuff-Torq K92 | Tuff-Torq K92 | Tuff-Torq K92 | Tuff-Torq K92 | Tuff-Torq K92 |
| Type / Differential | Hydro w/ Diff Lock | Hydro w/ Diff Lock | Hydro w/ Diff Lock | Hydro w/ Diff Lock | Hydro w/ Diff Lock |
| Automatic Controlled Traction | Yes | Yes | Yes | Yes | Yes |
| 4-Wheel Drive | Yes | Yes | Yes | Yes | Yes |

➡ indicates step-up feature

# LEGACY XL/2027/2927
## 2008 Series Garden Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Legacy XL-4WD-Field Trac Tires** | **Legacy XL/ 2027/2927-4WD-Turf Tires-*RPTO*** | **Legacy XL-4WD-Field Trac Tires-RPTO** | **Legacy XL-4WD-Turf Tires-RPTO** | **Legacy XL-4WD-Field Trac Tires-RPTO** |
| **Horsepower** | **27 hp Kohler Com. - Gas** | ***27 hp - Kawasaki - LC*** | **27 hp - Kawasaki - LC** | **27 hp B&S/D-Diesel** | **27 hp B&S/D-Diesel** |
| | | | | | |
| **TRANSMISSION (CONT):** | | | | | |
| Drive | Shaft | Shaft | Shaft | Shaft | Shaft |
| Ground Speed: Fwd / Rev (MPH) | 0-9.0 / 0-5.5 MPH | 0-9.0 / 0-5.5 MPH | 0-9.0 / 0-5.5 MPH | 0-9.0 / 0-5.5 MPH | 0-9.0 / 0-5.5 MPH |
| Brake | Internal Wet Disc | Internal Wet Disc | Internal Wet Disc | Internal Wet Disc | Internal Wet Disc |
| **CONTROLS / INSTRUMENTATION:** | | | | | |
| Steering Wheel Type / Size | Soft Touch / 15" / Tilt | Soft Touch / 15" / Tilt | Soft Touch / 15" / Tilt | Soft Touch / 15" / Tilt | Soft Touch / 15" / Tilt |
| Turning Radius (in.) | 35" 2WD / 55" 4WD | 35" 2WD / 55" 4WD | 35" 2WD / 55" 4WD | 35" 2WD / 55" 4WD | 35" 2WD / 55" 4WD |
| Deck Lift | Electric | Electric | Electric | Electric | Electric |
| Height-of-cut positions | Infinite | Infinite | Infinite | Infinite | Infinite |
| Speed Control - Fwd. & Rev. | Side by Side Footpedals | Side by Side Footpedals | Side by Side Footpedals | Side by Side Footpedals | Side by Side Footpedals |
| Cruise Control / Location | Hand Cruise Control | Hand Cruise Control | Hand Cruise Control | Hand Cruise Control | Hand Cruise Control |
| Blade Clutch | Electric | Electric | Electric | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke | w/ Separate Choke | Glow Plugs / Throttle | Glow Plugs / Throttle |
| Fuel Gauge / Location | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash |
| Hourmeter / Location | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash | Yes / Dash |
| Clock | N/A | N/A | N/A | N/A | N/A |
| Maintenance Monitor | Yes | Yes | Yes | Yes | Yes |
| Cup holder / Position | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod | Yes / Left Fender Pod |
| Light Switch | Yes | Yes | Yes | Yes | Yes |
| RMO Switch | Yes | Yes | Yes | Yes | Yes |
| **TIRES / TREAD:** | | | | | |
| Front / All 4-ply / Type | 18.00 x 8.5 - 8 / Field | 18.00 x 8.5 - 8 / Turf | 18.00 x 8.5 - 8 / Field | 18.00 x 8.5 - 8 / Turf | 18.00 x 8.5 - 8 / Field |
| Rear / All 4-ply / Type | 26.00 x 12.0 - 12 / Field | 26.00 x 12.0 - 12 / Turf | 26.00 x 12.0 - 12 / Field | 26.00 x 12.0 - 12 / Turf | 26.00 x 12.0 - 12 / Field |

→ indicates step-up feature

# LEGACY XL/2027/2927

## 2008 Series Garden Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Legacy XL-4WD-Field Trac Tires** | **Legacy XL/ 2027/2927-4WD-Turf Tires-➡ *RPTO*** | **Legacy XL-4WD-Field Trac Tires-RPTO** | **Legacy XL-4WD-Turf Tires-RPTO** | **Legacy XL-4WD-Field Trac Tires-RPTO** |
| **Horsepower** | **27 hp Kohler Com. - Gas** | **➡ *27 hp - Kawasaki - LC*** | **27 hp - Kawasaki - LC** | **27 hp B&S/D-Diesel** | **27 hp B&S/D-Diesel** |
| | | | | | |
| **OTHER FEATURES:** | | | | | |
| Steering | Hydraulic Power Steering | Hydraulic Power Steering | Hydraulic Power Steering | Hydraulic Power Steering | Hydraulic Power Steering |
| Front Axle | Cast Iron | Cast Iron | Cast Iron | Cast Iron | Cast Iron |
| Front Wheel Bearing | Ball Bearing | Ball Bearing | Ball Bearing | Ball Bearing | Ball Bearing |
| Seat | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black | 18" Super Hi-Back / Black |
| Seat Suspension | Tapered Spring | Tapered Spring | Tapered Spring | Tapered Spring | Tapered Spring |
| Seat Adjustment / Positions | 7" Slide / 14 | 7" Slide / 14 | 7" Slide / 14 | 7" Slide / 14 | 7" Slide / 14 |
| Rear Fenders | Steel | Steel | Steel | Steel | Steel |
| Hood Style / Type / Material | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel | 4-piece / Steel |
| Frame | 7-Gauge Steel | 7- Gauge Steel | 7-Gauge Steel | 7-Gauge Steel | 7-Gauge Steel |
| Headlights | 2-bulb | 2-bulb | 2-bulb | 2-bulb | 2-bulb |
| Footpads | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber | Deluxe Black Rubber |
| Mower Deck Lift System | Electric | Electric | Electric | Electric | Electric |
| **WARRANTY: MACHINE / ENGINE:** | | | | | |
| Residential Use | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. |
| Commercial Use | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. | 2 Years Ltd. |
| **DIMENSIONS:** | | | | | |
| Length-Overall (in.) | 81" | 81" | 81" | 81" | 81" |
| Width-Overall (in.) | 44.75 Tractor Only | 44.75 Tractor Only | 44.75 Tractor Only | 44.75 Tractor Only | 44.75 Tractor Only |
| Height-Overall (in.) | 51" | 51" | 51" | 51" | 51" |
| Wheelbase (in.) | 58.5" | 58.5" | 58.5" | 58.5" | 58.5" |
| Weight (approx.) (lbs.) | 980 Tractor Only | 1030 Tractor Only | 1030 Tractor Only | 1131 Tractor Only | 1131 Tractor Only |
| Shipping Weight (approx.) (lbs.) | 1175 Tractor Only | 1225 Tractor Only | 1225 Tractor Only | 1377 Tractor Only | 1377 Tractor Only |
| Shipping Container Size | 89.25 x 60 x 48.5 | 89.25 x 60 x 48.5 | 89.25 x 60 x 48.5 | 89.25 x 60 x 48.5 | 89.25 x 60 x 48.5 |

➡ indicates step-up feature

# LEGACY XL/2027/2927
## 2008 Series Garden Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Legacy XL-4WD-Field Trac Tires** | **Legacy XL/ 2027/2927-4WD-Turf Tires-➡ *RPTO*** | **Legacy XL-4WD-Field Trac Tires-RPTO** | **Legacy XL-4WD-Turf Tires-RPTO** | **Legacy XL-4WD-Field Trac Tires-RPTO** |
| **Horsepower** | **27 hp Kohler Com. - Gas** | **➡ *27 hp - Kawasaki - LC*** | **27 hp - Kawasaki - LC** | **27 hp B&S/D-Diesel** | **27 hp B&S/D-Diesel** |
| | | | | | |
| **ACCESSORIES:** | | | | | |
| Ballast Box | 1694538SM | 1694538SM | 1694538SM | 1694538SM | 1694538SM |
| 60" Blade, hydraulic angling, requires subframe | 1694387 | 1694387 | 1694387 | 1694387 | 1694387 |
| Box Scraper/ Scarifier | 1694551 | 1694551 | 1694551 | 1694551 | 1694551 |
| Broom 60" (req PTO and Subframe) | 1694388 | 1694388 | 1694388 | 1694388 | 1694388 |
| Broom Front PTO Drive | 1694560 | 1694560 | 1694560 | 1694560 | 1694560 |
| Dump Cart 10 cu. ft. | 1692125SM | 1692125SM | 1692125SM | 1692125SM | 1692125SM |
| Triple Catcher - requires Turbo Catcher w/Turbo & Hitch Kit | 1694389 | 1694389 | 1694389 | 1694389 | 1694389 |
| Catcher Hitch Tube Group | 1694390 | 1694390 | 1694390 | 1694390 | 1694390 |
| Chains 26x12-12 pair | 1692562SM | 1692562SM | 1692562SM | 1692562SM | 1692562SM |
| Grass Mulcher Kit 54" | 1694508SM | 1694508SM | 1694508SM | 1694508SM | 1694508SM |
| Hitch 3 Point | 1694391 | 1694391 | 1694391 | 1694391 | 1694391 |
| Hitch Subframe | 1694395 | 1694395 | 1694395 | 1694395 | 1694395 |
| Loader Front End 48" (Orange) | 1694396 | 1694396 | 1694396 | 1694396 | 1694396 |
| Loader Front End 48" (Black) | 1694486 | 1694486 | 1694486 | 1694486 | 1694486 |
| Post hole Digger 6" Auger, PTO | 1694579SM | 1694579SM | 1694579SM | 1694579SM | 1694579SM |
| Rear PTO 540RPM | 1694399 | 1694399 | 1694399 | 1694399 | 1694399 |
| Rear Scraper Blade 60" | 1694580 | 1694580 | 1694580 | 1694580 | 1694580 |

➡ indicates step-up feature

# LEGACY XL/2027/2927
## 2008 Series Garden Tractor Specifications

| BASIC DESCRIPTION: | | | | | |
|---|---|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity/ AGCO/Massey** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Legacy XL-4WD-Field Trac Tires** | **Legacy XL/ 2027/2927-4WD-Turf Tires-RPTO** | **Legacy XL-4WD-Field Trac Tires-RPTO** | **Legacy XL-4WD-Turf Tires-RPTO** | **Legacy XL-4WD-Field Trac Tires-RPTO** |
| **Horsepower** | **27 hp Kohler Com. - Gas** | **27 hp - Kawasaki - LC** | **27 hp - Kawasaki - LC** | **27 hp B&S/D-Diesel** | **27 hp B&S/D-Diesel** |
| | | | | | |
| **ACCESSORIES (CONT):** | | | | | |
| ROPS (Roll Over Protective Structure) | 1694400SM | 1694400SM | 1694400SM | 1694400SM | 1694400SM |
| Snow Cab, Hard | 1694401SM | 1694401SM | 1694401SM | 1694401SM | 1694401SM |
| Snow Cab, Softside Deluxe | 1694402SM | 1694402SM | 1694402SM | 1694402SM | 1694402SM |
| Snow Thrower Single-Stage, 46" | 1694403 | 1694403 | 1694403 | 1694403 | 1694403 |
| Snow Thrower Two-Stage, 47" | 1694404 | 1694404 | 1694404 | 1694404 | 1694404 |
| Tiller 50" 500RPM | 1694405 | 1694405 | 1694405 | 1694405 | 1694405 |
| Turbo 48" | 1694496 | 1694496 | 1694496 | 1694496 | 1694496 |
| Turbo 54" | 1695299 | 1695299 | 1695299 | 1695299 | 1695299 |
| Turbo 60" | 1694497 | 1694497 | 1694497 | 1694497 | 1694497 |
| Turbo 72" | TBD | TBD | TBD | TBD | TBD |
| Turbo Wide Body Collector | 1694542 | 1694542 | 1694542 | 1694542 | 1694542 |
| Turbo Hitch & Tube Kit for Wide Body Collector | 1694545 | 1694545 | 1694545 | 1694545 | 1694545 |
| Weight Carrier Front | 1694409SM | 1694409SM | 1694409SM | 1694409SM | 1694409SM |
| Weight Carrier Rear | 1692941SM | 1692941SM | 1692941SM | 1692941SM | 1692941SM |
| Weight Suitcase 33# | 1691319SM | 1691319SM | 1691319SM | 1691319SM | 1691319SM |
| Weight Suitcase 50# | 1692939SM | 1692939SM | 1692939SM | 1692939SM | 1692939SM |
| Weight Rear Wheel 50# | 1693160SM | 1693160SM | 1693160SM | 1693160SM | 1693160SM |

indicates step-up feature

# LEGACY XL/2027/2927 SERIES
## 2008 GARDEN TRACTOR SPECIFICATIONS

| MOWER DECKS: | | | | |
|---|---|---|---|---|
| | **48" Deck Only** | **54" Deck Only** | **60" Deck Only** | **72" Deck Only** |
| **Simplicity** | **1695057** | **1695058** | **1695059** | **1695448** |
| **AGCO** | **1695057** | **1695058** | **1695059** | **1695448** |
| **Massey Ferguson** | **1695060** | **1695061** | **1695062** | **1695458** |
| | | | | |
| **MOWER CONFIGURATION:** | | | | |
| Width of cut | 48" | 54" | 60" | 72" |
| # of Blades / Type | 3 Std Lift | 3 Std Lift | 3 Std Lift | 3 Std Lift |
| Cutting Height (in.) | 1.0" - 5.0" | 1.0" - 5.0" | 1.0" - 5.0" | 1.0" - 4.0" |
| Cutting Positions | Infinite | Infinite | Infinite | Infinite |
| Deck Suspension | Floating, Follows Contours | Floating, Follows Contours | Floating, Follows Contours | Frame Hung |
| Deck Support Wheels | Full Roller | Full Roller, Dual Front Pivoting Anti-Scalp Wheels | Full Roller, Dual Front Pivoting Anti-Scalp Wheels | Pivoting Anti-Scalp Wheels |

indicates step-up feature

# Step-Up Features

| AXION | | JAVELIN |
|---|---|---|
| 20 hp Briggs & Stratton | → | 20 hp Kohler Courage |
| 5.5 MPH | → | 6.0 MPH |
| Quiet muffler | → | Extra quiet muffler |
| 2 Back anti-scalp wheels | → | Back roller |
| 3 Position seat - tools required | → | 5 Position seat - no tools required |
| 14 Gauge steel frame | → | 10 Gauge steel frame |
| 44" Wheelbase | → | 48" Wheelbase for improved stability |
| Engine below operator seat | → | Engine behind operator seat allowing for lower seat position and better stability |
| N/A | → | Front ride dampening shocks |

→ indicates step-up feature

# Step-Up Features

| JAVELIN | | ZT3000 |
|---|---|---|
| 22 hp Briggs & Stratton ELS | → | 24 hp Briggs & Stratton ELS |
| 3.0 Gallon fuel tank | → | 6.5 Gallon fuel tank |
| 230 cca battery | → | 340 cca battery |
| 1.5" - 4.0" Cutting height | → | 1.5" - 4.5" Cutting height |
| 6 Cutting positions | → | 7 Cutting positions |
| Hydro-Gear EZT transmissions | → | Hydro-Gear ZT-2800 transmissions |
| 0 - 6.0 MPH Fwd / 0 - 0.3 MPH Rev | → | 0 - 7.0 MPH Fwd / 0 - 0.5 MPH Rev |
| Translucent tank | → | Fuel gauge LH console |
| None | → | Hour meter |
| 18 x 8.5 Rear tires | → | 20 x 8 Rear tires |
| 5 Position seat - holes | → | 9 Position seat - slide rail |
| Stamped frame | → | Tube frame |
| 48" Wheelbase | → | 49" Wheelbase |
| No Turbo available | → | Turbo collection system |

→ indicates step-up feature

# Step-Up Features

| ZT3000 | | CHAMPION |
|---|---|---|
| 24 hp Briggs & Stratton ELS | → | 26 hp Briggs & Stratton ELS |
| Hydro-gear ZT-2800 transmissions | → | Dual commercial hydraulic pumps and wheel motors |
| 15" Hi-back seat | → | 18" Hi-back seat |
| No rear suspension | → | Rear independent suspension |
| 1.0" x 2.0" Welded tube frame | → | 1.5" x 2.0" Welded tube frame |

→ indicates step-up feature

# Step-Up Features

| CHAMPION | | ZT4000 |
|---|---|---|
| Stamped deck | → | Fabricated deck |
| 7 Cutting positions | → | 12 Cutting positions |
| 2 Front anti-scalp rollers | → | 4 Front anti-scalp rollers |
| 7.0 MPH | → | 8.0 MPH |
| 20 x 8 Rear tires | → | 22 x 8 Rear tires |
| 41" Wheelbase | → | 49" Wheelbase |
| Manual mower deck lift system | → | Foot assist mower deck lift system |
| N/A | → | Roll over protection structure (ROPS) |

→ indicates step-up feature

# Step-Up Features

| ZT4000 | | CITATION |
|---|---|---|
| 44" Deck | → | 48" & 52" Decks |
| 1.5" - 4.5" Cutting height | → | 1.75" - 5.0" Cutting height |
| 12 Cutting positions | → | 14 Cutting positions |
| 8.0 MPH | → | 9.0 MPH |
| 11 x 4 Front tires | → | 13 x 5 Front tires |
| 22 x 8 Rear tires | → | 22 x 11 Rear tires |

→ indicates step-up feature

# Step-Up Features

| CITATION | | COBALT |
|---|---|---|
| 23 hp Briggs & Stratton Vanguard™ | → | 27 hp Kohler Command |
| 48" & 52" Decks | → | 61" Deck |
| 6.5 Gallon fuel tank | → | 10 Gallon fuel tank |
| 0 - 9.0 MPH Fwd / 0 - 5.0 MPH Rev | → | 0 - 10.0 MPH Fwd / 0 - 6.0 MPH Rev |
| Front axle / pivoting with shocks | → | Front axle / independent suspension |
| 48" Wheelbase | → | 52" Wheelbase |

→ indicates step-up feature

# Axion Zero Turn
# Product Specifications

# AXION ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Axion** | **Axion** |
| **Horsepower** | **20 hp Briggs & Stratton ELS** | ***24 hp Briggs & Stratton ELS V-Twin*** |
| **Deck** | **42"** | ***50"*** |
| | | |
| **BRANDING:** | | |
| Part Number | 2690642 | 2690644 |
| **POWER:** | | |
| Engine Manufacturer | Briggs & Stratton | Briggs & Stratton |
| Horsepower / Engine Type | 20 hp ELS /33M6 | ***24 hp ELS OHV V-Twin*** |
| Engine Configuration / Type | 1-Cyl OHV w/ oil filter | ***2-Cyl OHV w/ oil filter*** |
| Engine Displacement (cu.in./cc) | 33 / 540cc | ***44.2 / 725cc*** |
| Spin-On Oil Filter | Yes | Yes |
| Type / Fuel | Gas | Gas |
| Electrical System | 12V / 9 AMP DC | ***12V / 16 AMP DC*** |
| Fuel Tank Capacity / Position | Tank view/ 3 Gallons | Tank view/ 3 Gallons |
| Battery Capacity | 12V / 230 CCA | 12V / 230 CCA |
| **MOWER DECK:** | | |
| Mower Configuration In Crate | Side discharge only | Side discharge only |
| Width of cut | 42" | ***50"*** |
| # of Blades / Type | 2 Std. Lift | ***3 Std. Lift*** |
| Cutting Height (in.) | 1.5" - 3.75" | 1.5" - 3.75" |
| Cutting Positions | Infinite | Infinite |
| Deck Suspension | Suspended | Suspended |
| Deck Anti-Scalp Wheels | 2 Front / 2 Back | 2 Front / 2 Back |
| Discharge Deflector | Plastic/Pivoting | Plastic/Pivoting |
| **TRANSMISSION:** | | |
| Make / Brand | Hydro-Gear EZT | Hydro-Gear EZT |
| Type / Differential | Sealed Hydro Transaxle | Sealed Hydro Transaxle |
| Drive | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-5.5 / 0-3 MPH | 0-5.5 / 0-3 MPH |
| Brake | Cog Style | Cog Style |
| **CONTROLS / INSTRUMENTATION:** | | |
| Steering Wheel Type / Size | Twin Stick | Twin Stick |
| Turning Radius (in.) | Std ZTR | Std ZTR |
| Deck Lift | Electric | Electric |
| Height-of-cut positions | Infinite | Infinite |
| Design Speed Control - Fwd. & Rev. | Twin levers, foam grip | Twin levers, foam grip |
| Blade Engage Clutch | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke |

indicates step-up feature

# AXION ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Axion** | **Axion** |
| **Horsepower** | **20 hp Briggs & Stratton ELS** | ***24 hp Briggs & Stratton ELS V-Twin*** |
| **Deck** | **42"** | ***50"*** |
| | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | |
| Fuel Gauge / Location | None - Translucent Tank | None - Translucent Tank |
| Hourmeter / Location | Yes / Seat Deck | Yes / Seat Deck |
| Clock | N/A | N/A |
| Maintenance Monitor | N/A | N/A |
| Cup holder / Position | Yes / Left Fender | Yes / Left Fender |
| Light Switch | Optional | Optional |
| RMO Switch | N/A | N/A |
| Parking Brake | Built into handle | Built into handle |
| **TIRES/TREAD:** | | |
| Front / Type | 11.00 x 4.00 Smooth | 11.00 x 4.00 Smooth |
| Rear / Type | 18.00 x 8.50 / Turf Saver | 18.00 x 8.50 / Turf Saver |
| **OTHER FEATURES:** | | |
| Steering | Hydrostatic | Hydrostatic |
| Front Axle | Cast Iron | Cast Iron |
| Front Wheel Bearing | PM Bearing / Zerk | PM Bearing / Zerk |
| Seat | 15" Hi-Back / Black | 15" Hi-Back / Black |
| Seat Suspension | None | None |
| Seat Adjustment / Positions | 3 Position - req tools | 3 Position - req tools |
| Seat Armrests | Yes | Yes |
| Rear Fender/Material | Yes/Plastic | Yes/Plastic |
| Frame | 14 Gauge Steel | 14 Gauge Steel |
| Headlights | Optional | Optional |
| Footpads | Black Anti-Skid Pad | Black Anti-Skid Pad |
| Mower Deck Lift System | Electric | Electric |
| 12 V Electrical outlet | N/A | N/A |
| Muffler | Canister Style | Canister Style |
| **WARRANTY: MACHINE / ENGINE:** | | |
| Residential Use | 2 / 2 - Years Ltd. | 2 / 2 - Years Ltd. |
| Commercial Use | 90 Days / 1 Year - Ltd. | 90 Days / 1 Year - Ltd. |
| **DIMENSIONS:** | | |
| Length-Overall (in.) | 61" | 61" |
| Width-Overall (in.) less deflector | 44" | 52" |
| Width-Overall (in.) with deflector | 52" | 62" |
| Height-Overall (in.) | 45" | 45" |
| Wheelbase (in.) | 44" | 44" |

indicates step-up feature

# AXION ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Axion** | **Axion** |
| **Horsepower** | **20 hp Briggs & Stratton ELS** | ***24 hp Briggs & Stratton ELS V-Twin*** |
| **Deck** | **42"** | ***50"*** |
| | | |
| **DIMENSIONS (CONT):** | | |
| Weight (approx.) (lbs.) | 500 | 540 |
| Shipping Weight (approx.) (lbs.) | 775 | 815 |
| Shipping Container Size | 70 x 56 x 46 | 70 x 56 x 46 |
| **ACCESSORIES:** | | |
| Mulching Kit 42" | 1694956SM | N/A |
| Mulching Kit 50" | N/A | 1695054SM |
| Twin Bag Collector | 1695287 | N/A |
| Triple Bag Collector | N/A | 1695284 |
| Light Kit | 1695295SM | 1695295SM |
| Front Bumper | 1695285SM | 1695285SM |

indicates step-up feature

# Javelin Zero Turn Product Specifications

# JAVELIN ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Javelin** | **Javelin** | **Javelin** |
| **Horsepower** | **20 hp Kohler Courage Single** | ***20 hp Briggs & Stratton Intek™ V-Twin*** | ***22 hp Briggs & Stratton Intek™ V-Twin*** |
| **Deck** | **38"** | ***44"*** | ***50"*** |
| | | | |
| **BRANDING:** | | | |
| Part Number | 2690476 | 2690475 | 2690474 |
| **POWER:** | | | |
| Engine Manufacturer | Kohler | Briggs & Stratton | Briggs & Stratton |
| Horsepower / Engine Type | 20 hp / Courage | ***20 hp / Intek™ OHV*** | ***22 hp / Intek™ OHV*** |
| Engine Configuration / Type | 1-Cyl OHV w/oil filter | ***2-Cyl OHV w/oil filter*** | 2-Cyl OHV w/oil filter |
| Engine Displacement (cu.in./cc) | 36.4 / 597cc | ***44.2 / 725cc*** | 44.2 / 725cc |
| Spin-On Oil Filter | Yes | Yes | Yes |
| Type / Fuel | Gas | Gas | Gas |
| Electrical System | 12V-15A Reg. | 12V-9A Reg. | 12V-9A Reg. |
| Fuel Tank Capacity / Position | 3.0 US Gal. / RH Console | 3.0 US Gal. / RH Console | 3.0 US Gal. / RH Console |
| Battery Capacity | 230cca (Under Seat) | 230cca (Under Seat) | 230cca (Under Seat) |
| **MOWER DECK:** | | | |
| Mower Configuration In Crate | Side Discharge | Side Discharge | Side Discharge |
| Width of cut | 38" | ***44"*** | ***50"*** |
| # of Blades / Type | 2 | ***3*** | 3 |
| Cutting Height (in.) | 1.5" - 4.0" | 1.5" - 4.0" | 1.5" - 4.0" |
| Cutting Positions | 6 Positions | 6 Positions | 6 Positions |
| Deck Suspension | Suspended | Suspended | Suspended |
| Deck Anti-Scalp Wheels | 2 Front / Roller Back | 2 Front / Roller Back | 2 Front / Roller Back |
| Discharge Deflector | Molded, Pivoting | Molded, Pivoting | Molded, Pivoting |
| **TRANSMISSION:** | | | |
| Make / Brand | Hydro-Gear EZT | Hydro-Gear EZT | Hydro-Gear EZT |
| Type / Differential | Sealed Hydro Transaxle | Sealed Hydro Transaxle | Sealed Hydro Transaxle |
| Drive | Belt | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-6.0 / 0-3.0 MPH | 0-6.0 / 0-3.0 MPH | 0-6.0 / 0-3.0 MPH |
| Brake | Cog Style | Cog Style | Cog Style |
| **CONTROLS / INSTRUMENTATION:** | | | |
| Steering Wheel Type / Size | Twin-Lever, Adj. Fore/Aft | Twin-Lever, Adj. Fore/Aft | Twin-Lever, Adj. Fore/Aft |
| Turning Radius (in.) | Std. ZTR | Std. ZTR | Std. ZTR |
| Deck Lift | Manual | Manual | Manual |

→ indicates step-up feature

# JAVELIN ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Javelin** | **Javelin** | **Javelin** |
| **Horsepower** | **20 hp Kohler Courage Single** | ***20 hp Briggs & Stratton Intek™ V-Twin*** | ***22 hp Briggs & Stratton Intek™ V-Twin*** |
| **Deck** | **38"** | ***44"*** | ***50"*** |
| | | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | | |
| Height-of-cut positions | 6 Positions | 6 Positions | 6 Positions |
| Design Speed Control - Fwd. & Rev. | Twin Levers, Foam Grip | Twin Levers, Foam Grip | Twin Levers, Foam Grip |
| Blade Engage Clutch | Electric | Electric | Electric |
| Throttle | w/ Separate choke | w/ Separate choke | w/ Separate choke |
| Fuel Gauge / Location | None / Translucent Tank | None / Translucent Tank | None / Translucent Tank |
| Hourmeter / Location | Yes / RH Console | Yes / RH Console | Yes / RH Console |
| Clock | N/A | N/A | N/A |
| Maintenance Monitor | N/A | N/A | N/A |
| Cup holder / Position | Yes / LH Console | Yes / LH Console | Yes / LH Console |
| Light Switch | N/A | N/A | N/A |
| RMO Switch | N/A | N/A | N/A |
| Parking Brake | Built into handle | Built into handle | Built into handle |
| **TIRES / TREAD:** | | | |
| Front / Type | 11 x 4 Smooth | 11 x 4 Smooth | 11 x 4 Smooth |
| Rear / Type | 18 x 6.5 Turf Saver | ***18 x 8.5 Turf Saver*** | 18 x 8.5 Turf Saver |
| **OTHER FEATURES:** | | | |
| Steering | Twin-Lever, Adj. Fore/Aft | Twin-Lever, Adj. Fore/Aft | Twin-Lever, Adj. Fore/Aft |
| Front Axle | Pivoting Cast Iron | Pivoting Cast Iron | Pivoting Cast Iron |
| Front Wheel Bearing | PM Bearing / Zerk | PM Bearing / Zerk | PM Bearing / Zerk |
| Seat | 15” Hi-Back / Black | 15” Hi-Back / Black | 15” Hi-Back / Black |
| Seat Suspension | Spring | Spring | Spring |
| Seat Adjustment / Positions | Holes / 5 | Holes / 5 | Holes / 5 |
| Seat Armrests | Yes | Yes | Yes |
| Rear Fender/Material | Yes / Plastic | Yes / Plastic | Yes / Plastic |
| Frame | 10 Gauge Steel | 10 Gauge Steel | 10 Gauge Steel |
| Headlights | N/A | N/A | N/A |
| Footpads | Black Anti-skid Pad | Black Anti-skid Pad | Black Anti-skid Pad |
| Mower Deck Lift System | Manual | Manual | Manual |
| 12 V Electrical outlet | Yes | Yes | Yes |
| Muffler | Low Noise, Extra Large | Low Noise, Extra Large | Low Noise, Extra Large |
| **WARRANTY: MACHINE / ENGINE:** | | | |
| Residential Use | 2 / 2 - Years Limited | 2 / 2 - Years Limited | 2 / 2 - Years Limited |
| Commercial Use | 1 yr / 90 Days - Limited | 1 yr / 90 Days - Limited | 1 yr / 90 Days - Limited |

indicates step-up feature

# JAVELIN ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION: | | | |
|---|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **Javelin** | **Javelin** | **Javelin** |
| **Horsepower** | **20 hp Kohler Courage Single** | ***20 hp Briggs & Stratton Intek™ V-Twin*** | ***22 hp Briggs & Stratton Intek™ V-Twin*** |
| **Deck** | **38"** | ***44"*** | ***50"*** |
| | | | |
| **DIMENSIONS:** | | | |
| Length-Overall (in.) | 72" | 72" | 72" |
| Width-Overall (in.) less deflector | 42" | 48" | 52" |
| Width-Overall (in.) with deflector | 50" | 56" | 62" |
| Height-Overall (in.) | 38" | 38" | 38" |
| Wheelbase (in.) | 48" | 48" | 48" |
| Weight (approx.) (lbs.) | 520 | 575 | 590 |
| Shipping Weight (approx.) (lbs.) | - | - | - |
| Shipping Container Size | - | - | - |
| **ACCESSORIES:** | | | |
| Mulching Kit 38" (Double Wave Blade) | 7061878SM | N/A | N/A |
| Mulching Kit 44" | N/A | 1695055SM | N/A |
| Mulching Kit 50" | N/A | N/A | 1695054SM |
| Twin Bag Collector | 7600023 | N/A | N/A |
| Triple Bag Collector | N/A | 7600029 | 7600029 |

indicates step-up feature

# ZT3000 Zero Turn
# Product Specifications

# ZT3000 ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **ZT3000** | **ZT3000** |
| **Horsepower** | **24 hp Briggs & Stratton ELS V-Twin** | **24 hp Briggs & Stratton ELS V-Twin** |
| **Deck** | **44"** | ***50"*** |
| | | |
| **BRANDING:** | | |
| Part Number | 5900660 | 5900662 |
| **POWER:** | | |
| Engine Manufacturer | Briggs & Stratton | Briggs & Stratton |
| Horsepower / Engine Type | 24 hp ELS V-Twin / 44M7 | 24 hp ELS V-Twin / 44M7 |
| Engine Configuration / Type | 2-Cyl OHV w/ oil filter | 2-Cyl OHV w/ oil filter |
| Engine Displacement (cu.in./cc) | 44.2 / 725cc | 44.2 / 725cc |
| Spin-On Oil Filter | Yes | Yes |
| Type / Fuel | Gas | Gas |
| Electrical System | 12V / 9 AMP Regulated DC | 12V / 9 AMP Regulated DC |
| Fuel Tank Capacity / Position | 6.5 US Gal. / LH Console | 6.5 US Gal. / LH Console |
| Battery Capacity | 340 cca (Under Seat) | 340 cca Under Seat |
| **MOWER DECK:** | | |
| Mower Configuration In Crate | Side Discharge | Side Discharge |
| Width of cut | 44" | ***50"*** |
| # of Blades / Type | 3 / Std. Lift | 3 / Std. Lift |
| Cutting Height (in.) | 1.5" - 4.5" | 1.5" - 4.5" |
| Cutting Positions | 7 Positions | 7 Positions |
| Deck Suspension | Suspended | Suspended |
| Deck Anti-Scalp Wheels | 2 Front / Roller Back | 2 Front / Roller Back |
| Discharge Deflector | Molded, Pivoting | Molded, Pivoting |
| **TRANSMISSION:** | | |
| Make / Brand | Hydro-Gear ZT-2800 | Hydro-Gear ZT-2800 |
| Type / Differential | 10cc Pump / 16cc Motor | 10cc Pump / 16cc Motor |
| Drive | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-7.0 / 0-5.0 MPH | 0-7.0 / 0-5.0 MPH |
| Brake | Cog Style | Cog Style |
| **CONTROLS / INSTRUMENTATION:** | | |
| Steering Wheel Type / Size | Twin Lever, Adj. Fore/Aft | Twin Lever, Adj. Fore/Aft |
| Turning Radius (in.) | Std. ZTR | Std. ZTR |
| Deck Lift | Manual | Manual |
| Height-of-cut positions | 7 Positions | 7 Positions |
| Design Speed Control - Fwd. & Rev. | Twin Lever, Foam Grip | Twin Lever, Foam Grip |
| Blade Engage Clutch | Electric | Electric |
| Throttle | w/ Separate choke | w/ Separate choke |
| Fuel Gauge / Location | Yes / LH Console | Yes / LH Console |

indicates step-up feature

# ZT3000 ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **ZT3000** | **ZT3000** |
| **Horsepower** | **24 hp Briggs & Stratton ELS V-Twin** | **24 hp Briggs & Stratton ELS V-Twin** |
| **Deck** | **44"** | ***50"*** |
| | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | |
| Hourmeter / Location | Yes / RH Console | Yes / RH Console |
| Clock | N/A | N/A |
| Maintenance Monitor | N/A | N/A |
| Cup holder / Position | Yes / Left Fender | Yes / Left Fender |
| Light Switch | N/A | N/A |
| RMO Switch | N/A | N/A |
| Parking Brake | Lever | Lever |
| **TIRES/TREAD:** | | |
| Front / Type | 11 x 4 / Smooth | 11 x 4 / Smooth |
| Rear / Type | 20 x 8 / Turf Tread | 20 x 8 / Turf Tread |
| **OTHER FEATURES:** | | |
| Steering | Twin-Lever, Adj. Fore/Aft | Twin-Lever, Adj. Fore/Aft |
| Front Axle | Pivoting w/ Shocks | Pivoting w/ Shocks |
| Front Wheel Bearing | PM Bearing / Zerk | PM Bearing / Zerk |
| Seat | 15" Hi-Back / Black | 15" Hi-Back / Black |
| Seat Suspension | Springs | Springs |
| Seat Adjustment / Positions | Slide / 9 position | Slide / 9 position |
| Seat Armrests | Yes | Yes |
| Rear Fender/Material | Yes / Plastic | Yes / Plastic |
| Frame | 1.0" x 2" Welded Steel Tube | 1.0" x 2" Welded Steel Tube |
| Headlights | Not Available | Not Available |
| Footpads | Black Anti-Skid Pad | Black Anti-Skid Pad |
| Mower Deck Lift System | Manual Lever | Manual Lever |
| 12 V Electrical outlet | N/A | N/A |
| Muffler | Low Noise, Extra Large | Low Noise, Extra Large |
| **WARRANTY: MACHINE / ENGINE:** | | |
| Residential Use | 2 / 2 Years Limited | 2 / 2 Years Limited |
| Commercial Use | 90 Days / 1 Years Limited | 90 Days / 1 Years Limited |
| **DIMENSIONS:** | | |
| Length-Overall (in.) | 78" | 78" |
| Width-Overall (in.) less deflector | 48" | 52" |
| Width-Overall (in.) with deflector | 56" | 59" |
| Height-Overall (in.) | 42" | 42" |
| Wheelbase (in.) | 49" | 49" |
| Weight (approx.) (lbs.) | 712 | 723 |

indicates step-up feature

# ZT3000 ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis /Platform** | **ZT3000** | **ZT3000** |
| **Horsepower** | **24 hp Briggs & Stratton ELS V-Twin** | **24 hp Briggs & Stratton ELS V-Twin** |
| **Deck** | **44"** | ***50"*** |
| | | |
| **DIMENSIONS (CONT):** | | |
| Shipping Weight (approx.) (lbs.) | 957 | 977 |
| Shipping Container Size | - | - |
| **ACCESSORIES:** | | |
| Triple Collector/ Catcher | 5900703 | 5900703 |
| 44" Mulch Kit | 1694957SM | N/A |
| 50" Mulch Kit | N/A | 1694958SM |
| Turbo 44 or 50 (requires catcher) | 1695412 | 1695412 |
| Weight Suitcase, 33 lb. | 1691319SM | 1691319SM |
| Weight Suitcase, 50 lb. | 1692939SM | 1692939SM |

indicates step-up feature

# Champion Zero Turn Product Specifications

# CHAMPION ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **Champion** |
| **Horsepower** | **26 hp B&S ELS V-Twin** |
| **Deck** | **50"** |
| | |
| **BRANDING:** | |
| Part Number | 5900705 |
| **POWER:** | |
| Engine Manufacturer | Briggs & Stratton |
| Horsepower / Engine Type | 26 hp ELS V-Twin / 44P7 |
| Engine Configuration / Type | 2-Cyl OHV w/ oil filter |
| Engine Displacement (cu.in./cc) | 44.2 / 725cc |
| Spin-On Oil Filter | Yes |
| Type / Fuel | Gas |
| Electrical System | 12V-15A Reg. |
| Fuel Tank Capacity / Position | 6.5 US Gal. / RH & LH Consoles |
| Battery Capacity | 340cca / Under Seat |
| **MOWER DECK:** | |
| Mower Configuration In Crate | Side Discharge |
| Width of cut | 50" |
| # of Blades / Type | 3 |
| Cutting Height (in.) | 1.5" - 4.5" |
| Cutting Positions | 7 Positions |
| Deck Suspension | Suspended |
| Deck Anti-Scalp Wheels | 2 Front / Roller Back |
| Discharge Deflector | Molded, Pivoting |
| **TRANSMISSION:** | |
| Make / Brand | Hydro-Gear |
| Type / Differential | 10A Pump / 12P Motor |
| Drive | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-7.0 / 0-5.0 MPH |
| Brake | Drum Style |
| **CONTROLS / INSTRUMENTATION:** | |
| Steering Wheel Type / Size | Twin-Lever, Adj. Fore/Aft |
| Turning Radius (in.) | Std. ZTR |
| Deck Lift | Manual |
| Height-of-cut positions | 7 Positions |
| Design Speed Control - Fwd. & Rev. | Twin Levers, Form Grip |
| Blade Engage Clutch | Electric |
| Throttle | w/ Separate Choke |
| Fuel Gauge / Location | Yes / LH Console |
| Hourmeter / Location | Yes / RH Console |

# CHAMPION ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **Champion** |
| **Horsepower** | **26 hp B&S ELS V-Twin** |
| **Deck** | **50"** |
| | |
| **CONTROLS / INSTRUMENTATION (CONT):** | |
| Clock | N/A |
| Maintenance Monitor | N/A |
| Cup holder / Position | Yes / Left Fender |
| Light Switch | N/A |
| RMO Switch | N/A |
| Parking Brake | Lever |
| **TIRES/TREAD:** | |
| Front / Type | 11 x 4 / Smooth |
| Rear / Type | 20 x 8 / Turf |
| **OTHER FEATURES:** | |
| Steering | Twin-Lever, Adjustable Fore/Aft |
| Front Axle | Pivoting w/ Shocks |
| Front Wheel Bearing | PM Bearing / Zerk |
| Seat | 18" Hi-Back / Black |
| Seat Suspension | Springs |
| Seat Adjustment / Positions | Slide / 9 position |
| Seat Armrests | Yes |
| Rear Fender/Material | Yes / Plastic |
| Frame | 1.5" x 2" Welded Steel Tube |
| Headlights | N/A |
| Footpads | Black Anti-Skid Pads |
| Mower Deck Lift System | Manual |
| 12 V Electrical outlet | N/A |
| Muffler | Low Noise, Extra Large |
| **WARRANTY: MACHINE / ENGINE:** | |
| Residential Use | 2 / 2 Years Limited |
| Commercial Use | 90 Days / 1 Years Limited |
| **DIMENSIONS:** | |
| Length-Overall (in.) | 78" |
| Width-Overall (in.) less deflector | 52" |
| Width-Overall (in.) with deflector | 62" |
| Height-Overall (in.) | 42" |
| Wheelbase (in.) | 41" |
| Weight (approx.) (lbs.) | 723 |
| Shipping Weight (approx.) (lbs.) | 977 |
| Shipping Container Size | - |

# CHAMPION ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **Champion** |
| **Horsepower** | **26 hp B&S ELS V-Twin** |
| **Deck** | **50"** |
| | |
| **ACCESSORIES:** | |
| Triple Collector / Catcher | 5900703 |
| 50" Mulch Kit | 1694958SM |
| Turbo 50 (requires catcher) | 1695412 |
| Weight Suitcase, 33 lb. | 1691319SM |
| Weight Suitcase, 50 lb. | 1692939SM |

# ZT4000 Zero Turn
# Product Specifications

# ZT4000 ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **ZT4000** |
| **Horsepower** | **24 hp B&S ELS w/ROPS** |
| **Deck** | **44" -roller fab deck** |
| | |
| **BRANDING:** | |
| Part Number | 5900707 |
| **POWER:** | |
| Engine Manufacturer | Briggs & Stratton |
| Horsepower / Engine Type | 24 hp ELS OHV / 44M7 |
| Engine Configuration / Type | 2-Cyl OHV w/ oil filter |
| Engine Displacement (cu.in./cc) | 44.2 / 725cc |
| Spin-On Oil Filter | Yes |
| Type / Fuel | Gas |
| Electrical System | 12V-15A Reg. |
| Fuel Tank Capacity / Position | 6.5 US Gal. / LH Side of Seat |
| Battery Capacity | 350 cca / Under Seat |
| **MOWER DECK:** | |
| Mower Configuration In Crate | Side Discharge |
| Width of cut | 44" |
| # of Blades / Type | 3 |
| Cutting Height (in.) | 1.5" - 4.5" |
| Cutting Positions | 12 Positions |
| Deck Suspension | Suspended |
| Deck Anti-Scalp Wheels | 4 Front / Roller Back |
| Discharge Deflector | Flexible, Pivoting |
| **TRANSMISSION:** | |
| Make / Brand | Hydro-Gear |
| Type / Differential | 10A Pump / 12P Motor |
| Drive | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-8.0 / 0-5.0 MPH |
| Brake | Band Style |
| **CONTROLS / INSTRUMENTATION:** | |
| Steering Wheel Type / Size | Twin-Lever, Adj. Fore/Aft |
| Turning Radius (in.) | Std. ZTR |
| Deck Lift | Foot Assist |
| Height-of-cut positions | 12 Positions |
| Design Speed Control - Fwd. & Rev. | Twin Levers, Foam Grip |
| Blade Engage Clutch | Electric |
| Throttle | w/ Separate Choke |
| Fuel Gauge / Location | Yes / LH Console |
| Hourmeter / Location | Yes / Seat Deck |

# ZT4000 ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **ZT4000** |
| **Horsepower** | **24 hp B&S ELS w/ROPS** |
| **Deck** | **44" -roller fab deck** |
| | |
| **CONTROLS / INSTRUMENTATION (CONT):** | |
| Clock | N/A |
| Maintenance Monitor | N/A |
| Cup holder / Position | Yes / LH Console |
| Light Switch | Yes |
| RMO Switch | N/A |
| Parking Brake | Band Style |
| **TIRES/TREAD:** | |
| Front / Type | 11 X 4 Smooth |
| Rear / Type | 22 x 8 Turf |
| **OTHER FEATURES:** | |
| Steering | Twin-Lever, Adj. Fore/Aft |
| Front Axle | Pivoting w/ Shocks |
| Front Wheel Bearing | PM Bearing / Zerk |
| Seat | 18" Hi-Back / Black |
| Seat Suspension | Springs |
| Seat Adjustment / Positions | Slide / 9 position |
| Seat Armrests | N/A |
| Rear Fender/Material | Yes / Plastic |
| Frame | 1.5" x 2" Welded Steel Tube |
| Headlights | Optional |
| Footpads | Black Anti - Skid Pad |
| Mower Deck Lift System | Foot Assist |
| 12 V Electrical outlet | N/A |
| Muffler | Low Noise, Extra Large |
| **WARRANTY: MACHINE / ENGINE:** | |
| Residential Use | 2 / 2 Years Limited |
| Commercial Use | 1 / 1 Years Limited |
| **DIMENSIONS:** | |
| Length-Overall (in.) | 80" |
| Width-Overall (in.) less deflector | 48" |
| Width-Overall (in.) with deflector | 59" |
| Height-Overall (in.) | 43" |
| Wheelbase (in.) | 49" |
| Weight (approx.) (lbs.) | 712 |
| Shipping Weight (approx.) (lbs.) | - |
| Shipping Container Size | - |

# ZT4000 ZERO TURN SERIES
## 2008 Product Specifications

| BASIC DESCRIPTION | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **ZT4000** |
| **Horsepower** | **24 hp B&S ELS w/ROPS** |
| **Deck** | **44" -roller fab deck** |
| | |
| **ACCESSORIES:** | |
| Grass Mulcher Kit, 44" Mower | 5600032SM |
| Light Kit | 5049604SM |
| Arm Rest Kit | 1686907SM |
| Hitch Kit | 5600031SM |
| 44" Fast-Vac Twin Collector | 5600001 |

# Citation Zero Turn Product Specifications

# CITATION ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Citation** | **Citation** |
| **Horsepower** | **21 hp Briggs & Stratton Vanguard** | ***23 hp Briggs & Stratton Vanguard*** |
| **Deck** | **48"** | ***52"*** |
| | | |
| **BRANDING:** | | |
| Part Number | 2690444 | 2690445 |
| **POWER:** | | |
| Engine Manufacturer | Briggs & Stratton | Briggs & Stratton |
| Horsepower / Engine Type | 21 hp B&S Vanguard | ***23 hp B&S Vanguard*** |
| Engine Configuration / Type | V-Twin OHV, w/ oil filter | V-Twin OHV, w/ oil filter |
| Engine Displacement (cu.in./cc) | 38.2 / 627cc | 38.2 / 627cc |
| Spin-On Oil Filter | Yes | Yes |
| Type / Fuel | Air-cooled / Gas | Air-cooled / Gas |
| Electrical System | 12V 16 Amp DC Regulated | 12V 16 Amp DC Regulated |
| Fuel Tank Capacity / Position | 6.5 US Gal. / LH Console | 6.5 US Gal. / LH Console |
| Battery Capacity | 350 cca / Under Seat | 350 cca / Under Seat |
| **MOWER DECK:** | | |
| Mower Configuration In Crate | Side Discharge | Side Discharge |
| Width of cut | 48" | ***52"*** |
| # of Blades / Type | 3 | 3 |
| Cutting Height (in.) | 1.75" - 5.0" | 1.75" 5.0" |
| Cutting Positions | 14 Positions | 14 Positions |
| Deck Suspension | Suspended | Suspended |
| Deck Anti-Scalp Wheels | 4 Front / Roller Back | 4 Front / Roller Back |
| Discharge Deflector | Flexible, Pivoting | Flexible Pivoting |
| **TRANSMISSION:** | | |
| Make / Brand | Hydro-Gear | Hydro-Gear |
| Type / Differential | BDP-10A Pump / HGM-12C Motor | BDP-10A Pump / HGM-12C Motor |
| Drive | Belt | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-9.0 - 0-5.0 MPH | 0-9.0 - 0-5.0 MPH |
| Brake | Band Style | Band Style |
| **CONTROLS / INSTRUMENTATION:** | | |
| Steering Wheel Type / Size | Twin-Lever, Adj. Fore/Aft | Twin-Lever, Adj. Fore/Aft |
| Turning Radius (in.) | Std. ZTR | Std. ZTR |
| Deck Lift | Foot Assist | Foot Assist |
| Height-of-cut positions | 14 Positions | 14 Positions |

→ indicates step-up feature

# CITATION ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Citation** | **Citation** |
| **Horsepower** | **21 hp Briggs & Stratton Vanguard** | ***23 hp Briggs & Stratton Vanguard*** |
| **Deck** | **48"** | ***52"*** |
| | | |
| **CONTROLS / INSTRUMENTATION (CONT):** | | |
| Design Speed Control - Fwd. & Rev. | Twin Levers, Foam Grip | Twin Levers, Foam Grip |
| Blade Engage Clutch | Electric | Electric |
| Throttle | w/ Separate Choke | w/ Separate Choke |
| Fuel Gauge / Location | Yes / LH Console | Yes / LH Console |
| Hourmeter / Location | Yes / Seat Deck | Yes / Seat Deck |
| Clock | N/A | N/A |
| Maintenance Monitor | N/A | N/A |
| Cup holder / Position | Yes / Left Fender | Yes / Left Fender |
| Light Switch | Yes | Yes |
| RMO Switch | N/A | N/A |
| Parking Brake | Band Style | Band Style |
| **TIRES/TREAD:** | | |
| Front / Type | 13 X 5 / Smooth | 13 X 5 / Smooth |
| Rear / Type | 22 x 11 / Turf | 22 x 11 / Turf |
| **OTHER FEATURES:** | | |
| Steering | Twin Lever, Adj. Fore/Aft | Twin Lever, Adj. Fore/Aft |
| Front Axle | Pivoting w/ Shocks | Pivoting w/ Shocks |
| Front Wheel Bearing | Ball Bearing w/Zerk | Ball Bearing w/Zerk |
| Seat | 18" Hi-Back w/ Arm Rests | 18" Hi-Back w/ Arm Rests |
| Seat Suspension | None | None |
| Seat Adjustment / Positions | Slide / 9 | Slide / 9 |
| Seat Armrests | Yes | Yes |
| Rear Fender/Material | Yes / Plastic | Yes / Plastic |
| Frame | 1.5”X 2" Welded Steel Tube | 1.5" X 2" Welded Steel Tube |
| Headlights | Yes | Yes |
| Footpads | Black Anti-Skid Pad | Black Anti-Skid Pad |
| Mower Deck Lift System | Foot Assist | Foot Assist |
| 12 V Electrical outlet | N/A | N/A |
| Muffler | Extra Quiet | Extra Quiet |
| **WARRANTY: MACHINE / ENGINE:** | | |
| Residential Use | 2 / 2 Years Limited | 2 / 2 Years Limited |
| Commercial Use | 1 / 2 Years Limited | 1 / 2 Years Limited |

indicates step-up feature

# CITATION ZERO TURN SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | | |
|---|---|---|
| **Brand** | **Simplicity** | **Simplicity** |
| **Basic Chassis / Platform** | **Citation** | **Citation** |
| **Horsepower** | **21 hp Briggs & Stratton Vanguard** | ***23 hp Briggs & Stratton Vanguard*** |
| **Deck** | **48"** | ***52"*** |
| | | |
| **DIMENSIONS:** | | |
| Length-Overall (in.) | 80" | 80" |
| Width-Overall (in.) less deflector | 50" | 54" |
| Width-Overall (in.) with deflector | 62" | 68" |
| Height-Overall (in.) | 70" | 70" |
| Wheelbase (in.) | 48" | 48" |
| Weight (approx.) (lbs.) | 970 | 1000 |
| Shipping Weight (approx.) (lbs.) | - | - |
| Shipping Container Size | - | - |
| **ACCESSORIES:** | | |
| 48" Mulch Kit | 5600014SM | N/A |
| 52" Mulch Kit | N/A | 5600015SM |
| ROPS | 5061729SM | 5061729SM |
| 48" Blower Mounting Kit | 5300025 | N/A |
| 52" Blower Mounting Kit | N/A | 5300026 |
| Fast Vac Triple Collector | 5900800 | 5900800 |
| Bagger Mount Adapter | 5300017 | 5300017 |
| 3 Bag Hood and Mount | 3046864 | 3046864 |
| Weight Mount Kit | 5300189 | 5300189 |
| Weight Suitcase, 50 lb. | 1692939SM | 1692939SM |

indicates step-up feature

# Cobalt Zero Turn Product Specifications

# COBALT SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **Cobalt** |
| **Horsepower** | **27 hp Kohler Command w/ROPS** |
| **Deck** | **61"** |
| | |
| **BRANDING:** | |
| Part Number | 2690479 |
| **POWER:** | |
| Engine Manufacturer | Kohler |
| Horsepower / Engine Type | 27 hp / Command |
| Engine Configuration / Type | 2-Cyl OHV w/ oil filter |
| Engine Displacement (cu.in./cc) | 44 / 725cc |
| Spin-On Oil Filter | N/A |
| Type / Fuel | Gas |
| Electrical System | 12V-15A Reg. |
| Fuel Tank Capacity / Position | 10.0 US Gal. / RH & LH Sides |
| Battery Capacity | 350 cca / Under Seat |
| **MOWER DECK:** | |
| Mower Configuration In Crate | Side Discharge |
| Width of cut | 61" |
| # of Blades / Type | 3 |
| Cutting Height (in.) | 1.75" - 5.0" |
| Cutting Positions | 14 Positions |
| Deck Suspension | Suspended |
| Deck Anti-Scalp Wheels | Yes |
| Discharge Deflector | Flexible, Pivoting |
| **TRANSMISSION:** | |
| Make / Brand | Hydro-Gear |
| Type / Differential | BP12A Pump / HGM-12C Motor |
| Drive | Belt |
| Ground Speed: Fwd / Rev (MPH) | 0-10.0 / 0-6.0 MPH |
| Brake | Band Style |
| **CONTROLS / INSTRUMENTATION:** | |
| Steering Wheel Type / Size | Twin-Lever, Adj. Fore/Aft |
| Turning Radius (in.) | Std. ZTR |
| Deck Lift | Foot Assist |
| Height-of-cut positions | 14 Positions |
| Design Speed Control - Fwd. & Rev. | Twin-Lever, Adj. Fore/Aft |
| Cruise Control / Location | N/A |
| Blade Engage Clutch | Electric |
| Throttle | w/ Separate Levers |
| Hourmeter / Location | Yes / Seat Deck |

# COBALT SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **Cobalt** |
| **Horsepower** | **27 hp Kohler Command w/ROPS** |
| **Deck** | **61"** |
| | |
| **CONTROLS / INSTRUMENTATION (CONT):** | |
| Clock | N/A |
| Maintenance Monitor | N/A |
| Cup holder / Position | Yes / Left Fender |
| Light Switch | Yes |
| RMO Switch | N/A |
| Parking Brake | Band Style |
| **TIRES/TREAD:** | |
| Front / Type | 13 x 5 Smooth |
| Rear / Type | 22 x 11 Turf |
| **OTHER FEATURES:** | |
| Steering | Twin-Lever, Adj. Fore/Aft |
| Front Axle | Front & Rear Independent Suspension |
| Front Wheel Bearing | Ball Bearing w/Zerk |
| Seat | 18" Hi-Back w/Arm Rests |
| Seat Suspension | N/A |
| Seat Adjustment / Positions | Slide / 9 |
| Seat Armrests | Yes |
| Rear Fender/Material | Yes / Plastic |
| Frame | 1.5" x 2" Welded Steel Tube |
| Headlights | Yes |
| Footpads | Black Anti-Skid Pads |
| Mower Deck Lift System | Foot Assist |
| 12 V Electrical outlet | N/A |
| Muffler | Extra Quiet |
| **WARRANTY: MACHINE / ENGINE:** | |
| Residential Use | 2 / 2 Years Limited |
| Commercial Use | 1 / 2 Years Limited |
| **DIMENSIONS:** | |
| Length-Overall (in.) | 82" |
| Width-Overall (in.) less deflector | 63" |
| Width-Overall (in.) with deflector | 77" |
| Height-Overall (in.) | 69" |
| Wheelbase (in.) | 52" |
| Weight (approx.) (lbs.) | 1150 |
| Shipping Weight (approx.) (lbs.) | - |
| Shipping Container Size | - |

# COBALT SERIES
## 2008 PRODUCT SPECIFICATIONS

| BASIC DESCRIPTION: | |
|---|---|
| **Brand** | **Simplicity** |
| **Basic Chassis /Platform** | **Cobalt** |
| **Horsepower** | **27 hp Kohler Command w/ROPS** |
| **Deck** | **61"** |
| | |
| **ACCESSORIES:** | |
| 61" Mulch Kit | 5049330SM |
| Fast-Vac Triple Collector | 5900800 |
| Blower Mount Kit | 5300250 |
| 3 Bag Hood and Mount | 3046864 |
| Bagger Mount Adapter | 5300017 |
| Weight Mount Kit | 5300189 |
| Weight Suitcase, 50 lb. | 1692939SM |

BRIGGS&STRATTON YARD POWER PRODUCTS GROUP
MILWAUKEE, WI 53201 USA
©2008 Briggs & Stratton Power Products Group, LLC

We Reserve the Right to Discontinue Models or Change Specifications Without Notice

070564YPP